

ΕΠΙΣΗΜΗ ΕΦΗΜΕΡΙΔΑ ΤΗΣ ΚΥΠΡΙΑΚΗΣ ΔΗΜΟΚΡΑΤΙΑΣ ΠΑΡΑΡΤΗΜΑ ΤΡΙΤΟ ΜΕΡΟΣ Ι

ΚΑΝΟΝΙΣΤΙΚΕΣ ΔΙΟΙΚΗΤΙΚΕΣ ΠΡΑΞΕΙΣ

Αφιθμός 4072

Δευτέρα, 23 Ιανουαρίου 2006

79

Αριθμός 21

Ο ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΣ (ΝΟΜΟΣ 156(I) ΤΟΥ 2002)

Γνωστοποίηση βάσει του άρθρου 5(γ)

Με το παρόν γνωστοποιείται ότι με βάση το άρθρο 5(γ) του Νόμου 156(Ι) του 2002, περί Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης δημοσιεύει ως Κυπριακά Πρότυπα τα πιο κάτω Ευρωπαϊκά Πρότυπα:

GENERALITIES. TERMINOLOGY. STANDARDIZATION. DOCUMENTATION

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 14665:2004	Thermal spraying - Thermally sprayed coatings - Symbolic	01.080.30, 25.220.20	

7 MATHEMATICS. NATURAL SCIENCES

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 14486:2005	Water quality - Detection of human enteroviruses by monolayer plaque assay	07.100.20	

11 HEALTH CARE TECHNOLOGY

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 11199-2:2005	Walking aids manipulated by both arms — Requirements and test methods — Part 2: Rollators	11.180.10	S/S CYS EN ISO 11199- 2:1999=W/D

13 ENVIRONMENT. HEALTH PROTECTION. SAFETY

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 12753:2005	Thermal cleaning systems for exhaust gas from surface treatment equipment - Safety requirements	13.040.40, 25.220.01	
CYS EN 12101-6:2005	Smoke and heat control systems - Part 6: Specification for pressure differential systems - Kits	13.220.99	
CYS EN 14591-1:2004	Explosion prevention and protection in underground mines - Protective systems - Part 1: 2-bar explosion proof ventilation structure	13.230 73.100.20	

CYS EN 50286:2001- iss1	Electrical insulating protective clothing for low-voltage installations	13.260, 13.340.10	S/S CYS EN 50286:2001 = W/D
CYS EN ISO 11733:2004	Water quality — Determination of the elimination and biodegradability of organic compounds in an aqueous medium — Activated sludge simulation test.	13.060.70	S/S CYS EN ISO 11733:1998 = W/D
CYS EN 13463-2:2004	Non-electrical equipment for use in potentially explosive atmospheres - Part 2: Protection by flow restricting enclosure 'fr'	13.230	
CYS EN ISO14122- 4:2004	Safety of machinery - Permanent means of access to machinery- Part 4: Fixed ladders (ISO 14122-4:2004)	13.11	
CYS EN 50131-5- 3:2005	Alarm systems — Intrusion systems — Part 5-3: Requirements for interconnections equipment using radio frequency techniques	13.310	

17 METROLOGY AND MEASUREMENT.PHYSICAL PHENOMENA

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 13032-2:2004	Light and lighting - Measurement and presentation of photometric data of lamps and luminaires - Part 2: Presentation of data for indoor and outdoor work places	17.180.20, 29.140.01	
CYS EN ISO 140-3:1995- iss1	Acoustics — Measurement of sound insulation in buildings and of building elements — Part 3: Laboratory measurement of airborne sound insulation of building elements	17.140.40	S/S CYS EN ISO 140- 3:1995 = W/D

19	TESTING
L	

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 13925-3:2005	Non destructive testing - X ray diffraction from polycrystalline and amorphous materials - Part 3: Instruments	19.100	

FLUID SYSTEMS AND COMPONENTS FOR GENERAL USE

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 14570:2005	Equipping of LPG tanks, overground and underground	23.020.30	
CYS EN 10311:2005	Joints for the connection of steel tubes and fittings for the conveyance of water and other aqueous liquids	23.040.60	·
CYS EN 1514- 2: 2005	Flanges and their joints - Gaskets for PN- designated flanges - Part 2: Spiral wound gaskets for use with steel flanges	23.040.80	S/S CYS EN 1514- 2:1997=W/D
CYS EN 13611:2000- iss1	Safety and control devices for gas burners and gas-burning appliances — General requirements	23.060.40	S/S CYS EN 13611:2000 = W/D
CYS EN 1123- 1:1999-iss1	Pipes and fittings of longitudinally welded hot-dip galvanized steel pipes with spigot and socket for waste water systems. Requirements, testing, quality control	23.040.10 23.040.40 23.040.60	S/S CYS EN 1123-1:1999 = W/D
CYS EN 1124- 1:1999-iss1	Pipes and fittings of longitudinally welded stainless steel pipes with spigot and socket for waste water systems. Requirements, testing, quality control	23.040.10 23.040.40 23.040.60	S/S CYS EN 1124-1:1999 = W/D
CYS EN 14525:2004	Ductile iron wide tolerance couplings and flange adaptors for use with pipes of different materials: Ductile iron, Grey iron, Steel, PVC-U, PE, Fibre-cement	23.040.10 23.040.60	
CYS EN 14420-1:2004	Hose fittings with clamp units - Part 1: Requirements, survey, designation and testing	23.040.70	
CYS EN 14420-2:2004	Hose fittings with clamp units - Part 2: Hose side parts of hose tail	23.040.70	
CYS EN 14420-4:2004	Hose fittings with clamp units - Part 4: Flange connections	23.040.70	
CYS EN 14420-5:2004	Hose fittings with clamp units - Part 5: Threaded connections	23.040.70	
CYS EN 14420-6:2004	Hose fittings with clamp units - Part 6: TW tank truck couplings	23.040.70	
CYS EN 14420-7:2004	Hose fittings with clamp units - Part 7: Cam locking couplings	23.040.70	
CYS EN 14420-8:2004	Hose fittings with clamp units - Part 8: Symmetrical half coupling (Guillemin system)	23.040.70	
CYS EN 14422:2004	Clamp type coupling assemblies for LPG transfer hoses	23.040.70	

CYS EN 14423:2004	Clamp type coupling assemblies for use with steam hoses rated for pressures up to 18 bar	23.040.70	and the state of t
CYS EN 14424:2004	Hose fittings with screwed ferrules	23.040.70	

25	MANUFACTURING ENGINEERING

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 1274:2004	Thermal spraying - Powders - Composition, technical supply conditions	25.220.20, 77.160	S/S CYS EN 1274:1997 =W/D
CYS EN 14616:2004	Thermal spraying - Recommendations for thermal spraying	25.220.20	
CYS EN 50060:1989 +A1:1994	Power sources for manual metal arc welding with limited duty	25.160.30	
CYS EN 61511-2:2004	Functional safety — Safety instrumented systems for the process industry sector — Part 2: Guidelines for the application of IEC 61511-1	25.040.01, 13.110	
CYS EN 61511-3:2004	Functional safety — Safety instrumented systems for the process industry sector — Part 3: Guidance for the determination of the required safety integrity levels	25.040.01	
CYS EN ISO 2177:2004	Metallic coatings — Measurement of coating thickness — Coulometric method by anodic dissolution	25.220.40	S/S CYS EN ISO 2177:1995 = W/D
CYS EN 50370-1:2005	Electromagnetic compatibility (EMC) —- Product family standard for machine tools —- Part 1: Emission	25.080.01	
CYS EN 14610:2004	Welding and allied processes - Definitions of metal welding processes	25.160.10	

29	ELECTRICAL ENGINEERING

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 60335-2- 29:2004-iss1	Household and similar electrical appliances — Safety — Part 2-29: Particular requirements for battery chargers	29.200	S/S CYS EN 60335-2- 29:2004 = W/D
CYS EN 60401-1:2005	Terms and nomenclature for cores made of magnetically soft ferrites —- Part 1: Terms used for physical irregularities	29.100.10	
CYS EN 61241-17:2005	Electrical apparatus for use in the presence of combustible dust — Part 17: Inspection and maintenance of electrical installations in hazardous areas (other than mines)	29.260.20	PARTIALLY S/S CYS EN 50281-1- 2:1999-iss1 = W/D
CYS EN 61243-1:2005	Live working — Voltage detectors — Part 1: Capacitive type to be used for voltages exceeding 1 kV a.c.	29.240.99	S/S CYS EN 61243- 1:1998 = W/D

31	ELECTRONICS

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 11670:2003- iss3	Lasers and laser-related equipment — Test methods for laser beam parameters — Beam positional stability	31.260	S/S CYS EN ISO 11670:2003- iss2 = W/D
CYS EN 61360-2:2002- iss1	Standard data element types with associated classification scheme for electric components — Part 2: EXPRESS dictionary schema	31.020	S/S CYS EN 61360- 2:2002 = W/D
CYS EN 61249-2- 1:2005	Materials for printed boards and other interconnecting structures — Part 2-1: Reinforced base materials, clad and unclad — Phenolic cellulose paper reinforced laminated sheets, economic grade, copper clad	31.180	

TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 61000-4- 7:2002-iss2	Electromagnetic compatibility (EMC) — Part 4-7: Testing and measurement techniques — General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto	33.100.10	S/S CYS EN 61.000-4- 7:2002-iss1 = W/D
CYS EN 50289-1- 12:2005	Communication cables — Specifications for test methods — Part 1-12: Electrical test methods — Inductance	33.120.20	
CYS EN 50117-2- 1:2005	Coaxial cables — Part 2-1: Sectional specification for cables used in cabled distribution networks — Indoor drop cables for systems operating at 5 MHz - 1 000 MHz	33.120.10	S/S CYS EN 50117-2- 1:2002=W/D
CYS EN 61300-2- 44:2005	Fibre optic interconnecting devices and passive components — Basic test and measurement procedures — Part 2-44: Tests — Flexing of the strain relief of fibre optic devices	33.180.20	
CYS EN 61754-21:2005	Fibre optic connector interfaces — Part 21: Type SMI connector family for plastic optical fibre	33.180.20	
CYS EN 61290-11- 2:2005	Optical amplifiers — test methods — Part 11-2: Polarization mode dispersion parameter — Poincaré sphere analysis method	33.180.30	
CYS EN 12015:2004	Electromagnetic compatibility - Product family standard for lifts, escalators and moving walks - Emission	33.100.10 91.140.90	S/S CYS EN 12015:1998 = W/D

35 INFORMATION TECHNOLOGY. OFFICE MAC	HINES
---------------------------------------	-------

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 13609-1:2005	Health informatics - Messages for maintenance of supporting information in healthcare systems - Part 1: Updating of coding schemes	35.240.80	

43

ROAD VEHICLE ENGINEERING

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 1645- 1:2004	Leisure accommodation vehicles — Caravans — Part 1: Habitation requirements relating to health and safety	43.100	S/S CYS EN 1645- 1:1999-iss1 = W/D
CYS EN 1648- 2:2005	Leisure accommodation vehicles — 12 V direct current extra low voltage electrical installations — Part 2: Motor caravans	43.100 , 43.040.10	S/S CYS EN 1648-2:1998 = W/D
CYS EN 722- 1:2004	Leisure accommodation vehicles — Liquid fuel heating systems — Part 1: Caravans and caravan holiday homes	43.100	S/S CYS EN 722-1:1996 = W/D
CYS EN 12878:2005	Pigments for the colouring of building materials based on cement and/or lime — Specifications and methods of test	87.060.10 91.100.10	S/S CYS EN 12878:1999 = W/D

47

SHIPBUILDING AND MARINE STRUCTURES

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 7547:2004	Ships and marine technology - Air- conditioning and ventilatiion of accommodation spaces - Design conditions and basis of calculations (ISO 7547:2002)	47.020.80	,

49

AIRCRAFT AND SPACE VEHICLE ENGINEERING

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 12312-18:2005	Aircraft ground support equipment - Specific requirements - Part 18: Nitrogen or Oxygen units	49.100	
CYS EN 12312-8:2005	Aircraft ground support equipment - Specific requirements - Part 8: Maintenance stairs and platforms	49.100	• ,
CYS EN 12312-19:2005	Aircraft ground support equipment - Specific requirements - Part 19: Aircraft jacks, axle jacks and hydraulic tail stanchions	49.100	

CYS EN 3841- 403:2004	Aerospace series - Circuit breakers - Test methods - Part 403: Humidity	49.060	
CYS EN 3841- 502:2004	Aerospace series - Circuit breakers - Test methods - Part 502: Operating forces	49.060	
CYS EN 3841- 510:2004	Aerospace series - Circuit breakers - Test methods - Part 510: Strength of signal contact terminals	49.060	·
CYS EN ISO9046:2004	Building construction - Jointing products - Determination of adhesion/cohesion properties of sealants at constant temperature	91.100.50	S/S CYS EN 29046:1990 =W/D

55 PACKAGING AND DISTRIBUTION OF GOODS

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN ISO 8317:2004	Child-resistant packaging — Requirements and testing procedures for reclosable packages	55.020	S/S CYS EN 28317:1993 = W/D
CYS EN 60335-2-75- iss1:2004	Household and similar electrical appliances — Safety — Part 2-75: Particular requirements for commercial dispensing appliances and vending machines	55.230	S/S CYS EN 60335-2- 75:2004 = W/D

59 TEXTILE AND LEATHER TECHNOLOGY

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 14575:2005	Geosynthetic barriers - Screening test method for determining the resistance to oxidation	59.080.70, 91.100.50	
CYS EN 14576:2005	Geosynthetics - Test method for determining the resistance of polymeric geosynthetic barriers to environmental stress cracking	59.080.70	
CYS EN ISO 9163:2005	Textile glass — Rovings — Manufacture of test specimens and determination of tensile strength of impregnated rovings	59.100.10	S/S CYS EN ISO 9163:1999 = W/D
CYS EN ISO 9073-11:2004	Textiles - Test methods for nonwovens - Part 11: Run-off	59.080.30	

CYS EN ISO 9073-12:2004 Textiles - Test methods for nonwovens - Part 12: Demand absorbency	59.080.30	
--	-----------	--

	AGRICULTURE
65	AGRICUI TURE
05	ACINICOLICILE

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 13525:2005	Forestry machinery - Wood chippers - Safety	65.060.80	
CYS EN 14787:2005	Fertilizers and liming materials - Determination of water content - Guidelines and recommendations	65.080	
CYS EN 12965:2003- iss1	Tractors and machinery for agriculture and forestry - Power take-off (PTO) drive shafts and their quards - Safety	65.060.01	S/S CYS EN 12965:2003=W/D

[67	FOOD TECHNOLOGY
- 1	07	

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 12014-4:2005	Foodstuffs - Determination of nitrate and/or nitrite content - Part 4: Ion-exchange chromatographic (IC) method for the determination of nitrate and nitrite content of meat products	67.120.10	CYS ENV 12014- 4:1998=W/D
CYS EN 13570:2005	Food processing machinery - Mixing machines - Safety and hygiene requirements	67.260	
CYS EN 1672- 2:2005	Food processing machinery — Basic concepts — Part 2: Hygiene requirements	67.260	S/S CYS EN 1672-2:1997 = W/D
CYS EN ISO3960:2004	Animal and vegetable fats and oils - Determination of peroxide value (ISO 3960:2001)	67.200.10	

71

CHEMICAL TECHNOLOGY

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 13631-1:2005	Explosives for civil uses - High explosives - Part 1: Requirements	71.100.30	
CYS EN 13631-15:2005	Explosives for civil uses - High explosives - Part 15: Calculation of thermodynamic properties	71.100.30	

73

MINING AND MINERALS

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 14581:2004	Natural stone test methods - Determination of linear thermal expansion coefficient	73.020, 91.100.15	

75

PETROLEUM AND RELATED TECHNOLOGIES

CYSEN Document:	Title	ICS1	Withdrawn
CYS CEN/TR 14980:2004	Solid recovered fuels - Report on relative difference between biodegradable and biogenic fractions of SRF	75.160.10	

77

METALLURGY

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 10305-6:2005	Steel tubes for precision applications - Technical delivery conditions - Part 6: Welded cold drawn tubes for hydraulic and pneumatic power systems	77.140.75	

CYS EN 13658-1: 2005	Metal lath and beads - Definitions, requirements and test methods - Part 1: Internal plastering	77.140.65, 91.100.10	
CYS EN 10207:2005	Steels for simple pressure vessels — Technical delivery requirements for plates, strips and bars	77.140.30	S/S CYS EN 10207:1992 = W/D

79 WOOD TECHNOLOGY

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 14279:2004	Laminated Veneer Lumber (LVL) - Definitions, classification and specifications	79.060.20, 79.080	
CYS EN 314- 1:2004	Plywood - Bonding quality - Part 1: Test methods	79.060.10	S/S CYS EN 314-1:1993 = W/D
CYS EN 14354:2004	Wood-based panels - Wood veneer floor covering	79.080	
CYS EN 1912:2004	Structural timber - Strength classes - Assignment of visual grades and species	79.040	S/S CYS EN 1912:1998 = W/D
CYS EN 14298:2004	Sawn timber - Assessment of drying quality	79.04	

81 GLASS AND CERAMICS INDUSRTIES

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 1892:2005	Advanced technical ceramics — Mechanical properties of ceramic composites at high temperature under inert atmosphere — Determination of tensile properties	81.060.30	S/S CYS ENV 1892:1996 = W/D
CYS EN 1893:2005	Advanced technical ceramics — Mechanical properties of ceramic composites at high temperature in air at atmospheric pressure — Determination of tensile properties	81.060.30	S/S CYS ENV 1893:1996 = W/D
CYS EN 1894:2005	Advanced technical ceramics — Mechanical properties of ceramic composites at high temperature under inert atmosphere — Determination of shear strength by compression loading of notched specimens	81.060.30	S/S CYS ENV 1894:1996 = W/D

83 RUBBER AND PLASTIC INDUSTRIES

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 14598-1: 2005	Reinforced thermosetting moulding compounds - Specification for Sheet Moulding Compound (SMC) and Bulk Moulding Compound (BMC) - Part 1: Designation	83.120	
CYS EN 14598-2:2005	Reinforced thermosetting moulding compounds - Specification for Sheet Moulding Compound (SMC) and Bulk Moulding Compound (BMC) - Part 2: Methods of test and general requirements	83.120	

87 PAINT AND COLOUR INDUSTRIES

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 12981:2005	Coating plants - Spray booths for application of organic powder coating material - Safety requirements	87.100	

91 CONSTRUCTION MATERIALS AND BUILDING

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 12618-3:2004	Products and systems for the protection and repair of concrete structures - Test methods - Part 3: Determination of the adhesion of injection products, with or without thermal cycling - Slant shear method	91.080.40	
CYS EN 12405-1:2005	Gas meters - Conversion devices - Part 1: Volume conversion	91.140.40	S/S CYS EN 12405:2002 =W/D
CYS EN 13779:2004	Ventilation for non-residential buildings - Performance	91.140.30	

·	requirements for ventilation and room- conditioning systems		
CYS EN 1993-1- 10:2005	Eurocode 3: Design of steel structures - Part 1-10: Material toughness and through-thickness properties	91.010.30	S/S ENV 1993-1- 1:1992=W/D
CYS EN 1993-1-9:2005	Eurocode 3: Design of steel structures - Part 1-9: Fatigue	91.010.30	S/S ENV 1993-1- 1:1992=W/D
CYS EN 1993-1-8:2005	Eurocode 3: Design of steel structures - Part 1-8: Design of Joints	91.010.30	S/S ENV 1993-1- 1:1992=W/D
CYS EN 1993-1-1:2005	Eurocode 3: Design of steel structures - Part 1-1: General rules and rules for buildings	91.010.30, 91.080.10	S/S ENV 1993-1- 1:1992=W/D
CYS EN 450- 1:2005	Fly ash for concrete — Part 1: Definition, specifications and conformity criteria	91.100.30	S/S CYS EN 450:1995 = W/D
CYS EN 450- 2:2005	Fly ash for concrete — Part 2: Conformity evaluation	91.100.30	S/S CYS EN 450:1995 = W/D
CYS EN 933- 5:1998-iss2	Tests for geometrical properties of aggregates — Part 5: Determination of percentage of crushed and broken surfaces in coarse aggregate particles	91.100.15	S/S CYS EN 933-5:1998- iss1 = WD
CYS EN 12794:2005	Precast concrete products — Foundation piles	91.100.30, 93.020	
CYS EN 13375:2004	Flexible sheets for waterproofing — Waterproofing of concrete bridge decks and other concrete surfaces trafficable by vehicles — Specimen preparation	91.100.50	
CYS EN 13978-1:2005	Precast concrete products — Precast concrete garages — Part 1: Requirements for reinforced garages monolithic or consisting of single sections with room dimensions	91.090, 91.100.30	
CYS EN 13020:2004	Road surface treatment machines — Safety requirements	91.220	
CYS EN 81- 70:2003-iss3	Safety rules for the construction and installations of lifts - Particular applications for passenger and good passengers lifts - Part 70: Accessibility to lifts for persons including persons with disability	91.140.90	S/S CYS EN 81-70:2003- iss2 = WD
CYS EN 12629-6:2004	Machines for the manufacture of constructional products from concrete and calcium-silicate — Safety — Part 6: stationary and mobile equipment for the manufacture of precast reinforced products.	91.220	

	Haating avotome in buildings		
CYS EN 14336:2004	Heating systems in buildings — Installation and commissioning of water based heating systems	91.140.10	
CYS EN 200: 2004	Sanitary tapware - Single taps and combination taps (PN 10) - General technical specification	91.140.70	S/S CYS EN 200:1992 = W/D
CYS EN 13814:2004	Fairground and amusement park machinery and structures - Safety	91.040.99	
CYS EN 607:2004	Eaves gutters and fittings made of PVC-U - Definitions, requirements and testing	91.060.20	S/S CYS EN 607:1996 = W/D
CYS EN 13020:2004	Road surface treatment machines - Safety requirements	91.220	
CYS EN 13897:2004	Flexible sheets for waterproofing - Bitumen, plastic and rubber sheets for roof waterproofing - Determination of watertightness after stretching at low temperature	91.100.50	
CYS EN ISO 13791:2004	Thermal performance of buildings - Calculation of internal temperatures of a room in summer without mechanical cooling - General criteria and validation procedures	91.120.10	

93 CIVIL ENGINEERING

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 13877-2:2004	Concrete pavements - Part 2: Functional requirements for concrete pavements	93.080.20	

97 DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS

CYSEN Document:	Title	ICS1	Withdrawn
CYS EN 509:2000-iss2	Decorative fuel-effect gas appliances	97.100.20	S/S CYS EN 509:2000- iss1 = WD
CYS EN 62115:2005	Electric toys —- Safety	97.200.50	S/S CYS EN 50088:1996- iss2 = W/D
CYS EN 12951:2004	Prefabricated accessories for roofing - Permanently fixed roof ladders - Product specification and test methods	97.140	

94

<u>Κατάλογος Harmonization Documents</u>

CYS HD Document:	Title September 1	ICS1	Withdrawn
CYS HD 98 S1:1977	Test enclosures of non-injection type for constant relative humidity		
CYS HD 639 S1:2002	Electrical accessories - Portable residual current devices without integral overcurrent protection for household and similar use (PRCDs)	29.130	
CYS HD 638 S1:2001	Road traffic signal systems	93.080.30	
CYS HD 637 S1:1999	Power installations exceeding 1 kV a.c.	29.240.00	
CYS HD 636 S1:1996	High-voltage fuses Part 2: Expulsion fuses	29.120.50	
CYS HD 635 S1:1997	Tests on external gas-pressure (gas compression) cables and accessories for alternating voltages up to and including 275 kV (Um = 300 kV)	29.060.20	
CYS HD 634 S1:1997	Tests on internal gas-pressure cables and accessories for alternating voltages up to and including 275 kV (Um = 300 kV)	29.060.20	
CYS HD 633 S1:1997	Tests on oil-filled (fluid filled), paper- or polypropylene paper laminate- insulated, metal-sheathed cables and accessories for alternating voltages up to and including 400 kV (Um = 420 kV)	29.060.20	
CYS HD 632 S1:1998	Power cables with extruded insulation and their accessories for rated voltages above 36 kV (Um = 42 kV) up to 150 kV (Um = 170 kV)	29.060.20	
CYS HD 632 S1:1998/ A1:2002	Power cables with extruded insulation and their accessories for rated voltages above 36 kV (Um = 42 kV) up to 150 kV (Um = 170 kV	29.060.20	
CYS HD 631.1 S1:1998	Material characterisation Part 1: Compounds for use in cable accessories: Resinous compounds before cure and in the cured state	29.040.20; 29.060.20	
CYS HD 630.3.1 S3:2002	Low-voltage fuses Part 3-1: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household and similar applications) - Sections I to IV	29.120.50	HD 630.3.1 S2:1997

CYS HD 630.2.1 S6:2003	Low-voltage fuses Part 2-1: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) - Sections I to VI: Examples of types of standardized fuses	29.120.50	
CYS HD 630.2.1 S5:2002	Low-voltage fuses Part 2-1: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) Sections I to V: Examples of types of standardized fuses	29.120.50	
CYS HD 629.2 S1:1997	Test requirements on accessories for use on power cables of rated voltage from 3,6/6(7,2) kV up to 20,8/36(42) kV Part 2: Cables with impregnated paper insulation		
CYS HD 629.2 S1:1997/ A1:2001	Test requirements on accessories for use on power cables of rated voltage from 3,6/6(7,2) kV up to 20,8/36(42) kV Part 2: Cables with impregnated paper insulation	29.060.20	
CYS HD 629.2 S1:1997	Test requirements on accessories for use on power cables of rated voltage from 3,6/6(7,2) kV up to 20,8/36(42) kV Part 2: Cables with impregnated paper insulation	29.060.20	
CYS HD 629.1 S1:1996	Test requirements on accessories for use on power cables of rated voltage from 3,6/6(7,2) kV up to 20,8/36(42) kV Part 1: Cables with extruded insulation	29.060.20	
CYS HD 629.1 S1:1996/ A1:2001	Test requirements on accessories for use on power cables of rated voltage from 3,6/6(7,2) kV up to 20,8/36(42) kV Part 1: Cables with extruded insulation	29.060.20	
CYS HD 628 S1:1996	Test methods for accessories for power cables with rated voltage from 3,6/6 kV (Um = 7,2 kV) up to and including 20,8/36 kV (Um = 42 kV)	29.060.20	
CYS HD 628 S1:1996/ A1:2001	Test methods for accessories for power cables with rated voltage from 3,6/6 kV (Um = 7,2 kV) up to and including 20,8/36 kV (Um = 42 kV)	29.060.20	
CYS HD 627 S1:1996	Multicore and multipair cable for installation above and below ground	29.060.20	

CVC UD 636	Overhead distribution cables of rated		
CYS HD 626 S1:1996	voltage Uo/U(Um): 0,6/1 (1,2) kV	29.060.20	
CYS HD 625.3 S1:1997	Insulation coordination for equipment within low-voltage systems Part 3: Use of coatings to achieve insulation coordination of printed board assemblies	29.080.01	
CYS HD 625.1 S1:1996	Insulation coordination for equipment within low-voltage systems Part 1: Principles, requirements and tests	29.040.20	** .
CYS HD 623 S1:1996	Specification for joints, stop ends and outdoor terminations for distribution cables of rated voltage 0,6/1,0 kV	29.120.20; 29.240.20	
CYS HD 623 S1:1996/ A1:2001	Specification for joints, stop ends and outdoor terminations for distribution cables of rated voltage 0,6/1,0 kV	29.120.20; 29.240.20	
CYS HD 622 S1:1996	Power cables having rated voltages from 3,6/6 (7,2) kV up to and including 20,8/36 (42) kV with special fire performance for use in power stations	29.060.20	
CYS HD 622 S1:1996/ A1:2000	Power cables having rated voltages from 3,6/6 (7,2) kV up to and including 20,8/36 (42) kV with special fire performance for use in power stations	29.060.20	
CYS HD 621 S1:1996	Medium voltage impregnated paper insulated distribution cables	29.040.20; 29.060.20	
CYS HD 621 S1:1996/ A1:2001	Medium voltage impregnated paper insulated distribution cables	29.040.20; 29.060.20	
CYS HD 620 S1:1996	Distribution cables with extruded insulation for rated voltages from 3,6/6 (7,2) kV to 20,8/36 (42) kV	29.060.20	
CYS HD 620 S1:1996/ A1:2001	Distribution cables with extruded insulation for rated voltages from 3,6/6 (7,2) kV to 20,8/36 (42) kV	29.060.20	
CYS HD 620 S1:1996/ A2:2003	Distribution cables with extruded insulation for rated voltages from 3,6/6 (7,2) kV to 20,8/36 (42) kV	29.060.20	
CYS HD 618	General classification of insulating		
S1:1992 CYS HD 617 S1:1992	Fault tree analysis (FTA)		
CYS HD 612 S1:1992	Standard cells		
CYS HD 611.5 S1:1992	Guide for the determination of thermal endurance properties of electrical insulating materials Part 5: Guidelines for the application of		

	thermal endurance characteristics		
CYS HD	Guide for the determination of thermal endurance properties of electrical		~
611.4.1 S1:1992	insulating materials Part 4: Ageing ovens Section 1: Single-chamber ovens		
CYS HD 611.2 S1:1992	Guide for the determination of thermal endurance properties of electrical insulating materials Part 2: Choice of test criteria		
CYS HD 610 S1:1992	Test methods for induction channel furnaces		
CYS HD 605 S1:1994	Electric cables - Additional test methods	29.060.20	
CYS HD 605 S1:1994/ A4:2004	Electric cables - Additional test methods -Amendment to HD - Additional warning about legionella	29.060.20	
CYS HD 604 S1:1994	0,6/1 kV and 1,9/3,3 kV power cables with special fire performance for use in power stations		
CYS HD 60364-7-717: 2004	Electrical installations of buildings Part 7-717: Requirements for special installations or locations - Mobile or transportable units	29.140.50; 91.140.50	
CYS HD 603 S1:1994	Distribution cables of rated voltage 0,6/1 kV	29.060.20	
CYS HD 60027-3:2004	Letter symbols to be used in electrical technology Part 3: Logarithmic and related quantities, and their units	01.060; 01.075	HD 245.3 S3:2001
CYS HD 60027-2:2003	Letter symbols to be used in electrical technology Part 2: Telecommunications and electronics	01.060	HD 245.2 S1:1983
CYS HD 60027-1:2004	Letter symbols to be used in electrical technology Part 1: General	01.060	HD 245.1 S3:1979
CYS HD 599 S1:1992	Test methods for submerged arc furnaces		
CYS HD 597 S1:1992	Coupling capacitors and capacitor dividers	a tradition against	
CYS HD 593.3 S1:1991	Microprocessor system BUS - 8-bit and 16-bit data (MULTIBUS I) Part 3: Mechanical and pin descriptions for the Eurocard configuration with pin and socket (indirect) connectors		
CYS HD 593.2 S1:1992	Microprocessor system BUS - 8-bit and 16-bit data (MULTIBUS I) Part 2: Mechanichal and pin descriptions for the system bus configuration, with edge connectors (direct)		

CYS HD 593.1 S1:1992	Microprocessor system BUS - 8-bit and 16-bit data (MULTIBUS I) Part 1: Functional description with electrical and timing specifications		
CYS HD 592 S1:1991	Binary floating-point arithmetic for microprocessor systems	en e	
CYS HD 590 S1:1991	Mechanical coupler for measurements on bone vibrators		•
CYS HD 588.1 S1:1991	High-voltage test techniques Part 1: General definitions and test requirements		
CYS HD 587 S1:1993	Instruments transformers - Three- phase voltage transformers for voltage levels having Um up to 52 kV		
CYS HD 586.3 S1:2001	Mineral insulated cables with a rated voltage not exceeding 750 V – Part 3: Guide to use	29.060.20	
CYS HD 582 S1:1991	Specification for unused polybutenes		
CYS HD 581 S1:1991	Application guide for calculation of short-circuit currents in low-voltage radial systems		
CYS HD 578 S1:1992	Characteristics of indoor and outdoor post insulators for systems with nominal voltages greater than 1 kV	,	
CYS HD 577 S1:1990	Standardization of interconnections between broadcasting transmitters or transmitter systems and supervisory equipment Part 1: Interface standards for systems using dedicated interconnections		
CYS HD 576 S1:1990	IEC 60822 VSB - Parallel sub-system Bus of the IEC 60821 VMEbus		
CYS HD 574 S1:1990	Type B helical video recorders		
CYS HD 573 S1:1990	Type C helical video tape recorders	33.160.40	
CYS HD 573 S1:1990/A1:19 95	Type C helical video tape recorders	33.160.40	
CYS HD 570 S1:1990	Test procedure for thermal endurance of insulating varnishes - Electric strength method		
CYS HD 568 S1:1990	Methods of test for the determination of the insulation resistance of solid insulating materials		
CYS HD 567.6 S1:1990	Recommended methods of measurement on receivers for		

	T		
	television broadcast transmissions	1,441,441,4	
	Part 6: Measurements under	A CHARGO A	
	conditions different from broadcast		
CVC LID FCC	signal standards		
CYS HD 566	Thermal evaluation and classification	100	
S1:1990	of electrical insulation		
CYS HD 565	Specifications for silicone liquids for		
S1:1993	electrical purposes		
CYS HD 561	Sealed nickel-cadmium button		
S1:1991	rechargeable single cells		
	Methods of measurement on radio		
	receivers for various classes of		
CYS HD 560.1	emission Part 1: General	42,740,77	
S1:1990	considerations and methods of		
	measurement, including audio-		
	frequency measurements		
CYS HD 557	Binary direct voltage signals for		
S1:1990	process measurement and control	35	
	systems		
CYS HD 554	Voltage transformers	and the state of t	
S1:1992	voltage transformers		
CYS HD 549	Conference systems - Electrical and		
S1:1989	audio requirements		
CYS HD 548.3	Instrument transformers Part 3:		
S1:1992	Combined transformers		EAST OF BAR
CYS HD 546.4	Telecontrol equipment and systems		
S1:1992	Part 4: Performance requirements		
		Vita as parameters of	
CYS HD 546.3	Telecontrol equipment and systems		Y ST
S1:1991	Part 3: Interfaces (electrical		
CVC LID E44	characteristics)		
CYS HD 544	Audio recording - PCM		
S1:1989	encoder/decoder system		
CVC LID 540.0	Performance and testing of		
CYS HD 543.2	teleprotection equipment of power	25.040.40	
S1:1995	systems Part 2: Analogue		
	comparison systems		
CVC LID 544	Methods of test for the determination		
CYS HD 541	of the ignitability of solid electrical		
S1:1991	insulating materials when exposed to		
-	electrically heated wire sources		
	Three-phase dry-type distribution	1 - 15 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
	transformers 50 Hz, from 100 to 2500		
CYS HD 538.3	kVA, with highest voltage for		
S1:1997	equipment not exceeding 36 kV Part	29.180	
	3: Determination of the power rating of		
	a transformer loaded with non-	5 ^{3 6 7} 3	
	sinusoidal current		

	S HD 538.2 1995	Three-phase dry-type distribution transformers 50 Hz, from 100 to 2500 kVA, with highest voltage for equipment not exceeding 36 kV Part 2: Supplementary requirements for transformers with highest voltage for equipment equal to 36 kV	29.180	
1	5 HD 538.1 1992	Three-phase dry-type distribution transformers 50 Hz, from 100 to 2500 kVA, with highest voltage for equipment not exceeding 36 kV Part 1: General requirements and requirements for transformers with highest voltage for equipment not exceeding 24 kV	29.180	
1	S HD 538.1 1992/A1:19	Three-phase dry-type distribution transformers 50 Hz, from 100 to 2500 kVA, with highest voltage for equipment not exceeding 36 kV Part 1: General requirements and requirements for transformers with highest voltage for equipment not exceeding 24 kV	29.180	
- 1	S HD 53.8 1998	Rotating electrical machines Part 8: Terminal markings and direction of rotation of rotating machines	29.160.01	Withdrawn on 1/10/2005
1	S HD 527 1989	Measuring method for chrominance signal-to-random noise ratio for video tape recorders		
	S HD 525.2 1989	Shunt capacitors for a.c. power systems having a rated voltage above 1 kV Part 2: Endurance testing		
S1:	S HD 525.2 1989/ 1991	Shunt capacitors for a.c. power systems having a rated voltage above 1 kV Part 2: Endurance testing	,	
523	S HD 3.3.406 to 3 S1:1990	Specification for flexible insulating sleeving Part 3: Specification requirements for individual types of sleeving Sheets 406 to 408: Glass textile sleeving with PVC based coating		
523	S HD 3.3.209 1989	Specification for flexible insulating sleeving Part 3: Specification requirements for individual types of sleeving Sheet 209: Heat shrinkable sleeving, general purpose, flame retarded polyolefin shrink ratio 2:1	29.035.20	

		•	
CYS HD	Specification for flexible insulating sleeving Part 3: Specification		
523.3.201 S1:1993	requirements for individual types of sleeving Sheet 201: Heat shrinkable	29.040.20	
	sleeving, general purpose, flexible, cross-linked PVC, shrink ratio 2:1	4 (54) (1 3 (28) (18)	
CYS HD 523.3.116 to 118 S1:1993	Specification for flexible insulating sleeving Part 3: Specification requirements for individual types of sleeving Sheets 116 to 118:		
	Extruded polychloroprene, general purpose	All	n je
CYS HD 516 S2:1997	Guide to use of low voltage harmonized cables	29.060.20	
CYS HD 500 S1:1988	Methods to be used for measuring energy consumption of thermal storage water heaters and for the purpose of informing consumers of it		
CYS HD 493.3 S2:1993	Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 3: Subracks and associated plug-in units	, este e	
CYS HD 493.2 S1:1988	Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 2: Cabinets and pitches of rack structures		
CYS HD 493.1 S1:1988	Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 1: Panels and racks		
CYS HD 489 S1:1987	Recommended dimensions for hexagonal and square crimping-die cavities, identors, gauges, outer conductor crimp sleeves and centre contact crimp barrels for r.f. cables and connectors		
CYS HD 488 S1:1987	Gassing of insulating liquids under electrical stress and ionization		
CYS HD 485 S1:1987	Analysis techniques for system reliability - Procedure for failure mode and effects analysis (FMEA)		
CYS HD 483.2 S2:1993	Sound system equipment Part 2: Explanation of general terms and calculation methods		
CYS HD 483.17 S1:1992	Sound system equipment Part 17: Standard volume indicators		
CYS HD 483.11	Sound system equipment Part 11: Application of connectors for the		

S3:1993	interconnection of sound system components	14. 14. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15	
CYS HD483.10 S1:1993	Sound system equipment Part 10: Peak programme level meters	4 3 (A 4.44 1 ²)	4, 5 %
CYS HD 483.1 S2:1989	Sound system equipment Part 1: General	esi del La companya	
CYS HD 480 S1:1987	Test method for evaluating thermal endurance of flexible sheet materials using the wrapped tube method		12 - Fri Ven
CYS HD 478.2.7 S1:1990	Classification of environmental conditions Part 2: Environmental conditions appearing in nature Fauna and flora		
CYS HD 478.2.6 S1:1993	Classification of environmental conditions Part 2: Environmental conditions appearing in nature Earthquake vibration and shock	Construction of the constr	124 × 10 × 10
CYS HD 478.2.5 S1:1993	Classification of environmental conditions Part 2: Environmental conditions appearing in nature Section 5: Dust, sand, salt mist	A distantina edenkastii iste väyten isevaati	
CYS HD 478.2.4 S1:1989	Classification of environmental conditions Part 2: Environmental conditions appearing in nature Solar radiation and temperature		
CYS HD 478.2.3 S1:1990	Classification of environmental conditions Part 2: Environmental conditions appearing in nature - Air pressure		a south ave
CYS HD 478.2.2 S1:1990	Classification of environmental conditions Part 2: Environmental conditions appearing in nature Precipitation and wind		
CYS HD 478.2.1 S1:1989	Classification of environmental conditions Part 2: Environmental conditions appearing in nature - Temperature and humidity	e Service (1997) - The Fred (1997) - The Fred (1997)	1, 11, 2 1, 12, 2 1, 12, 2 1, 13, 14
CYS HD 477.3.6 S1:1988	Methods of measurement of equipment used in terrestrial radiorelay systems Part 3: Simulated systems Section 6: Measurements for sound-programme transmission		
CYS HD* 477.3.4 S1:1989	Methods of measurement of equipment used in terrestrial radiorelay systems Part 3: Simulated systems Section 4: Measurements for f.d.m. transmission		

:	Methods of measurement of		1140.1
CYS HD	equipment used in terrestrial radio-	To agradiya H	
477.3.3	relay systems Part 3: Simulated	March March	54 P. 17 F. 18
S1:1989	systems Section 3: Measurements		
31.1909	for monochrome and colour television	7 7 77 77	
	transmission	Type Cartif	
	Methods of measurement of	1 410 411	E E E
CYS HD	equipment used in terrestrial radio-	a presignosan in	
477.3.2	relay systems Part 3: Simulated		
S1:1988			
31.1900	systems Section 2: Measurements		
	in the baseband		
0)/0 UD 477.0	Methods of measurement for	And the second of the second o	n en
CYS HD 477.3	equipment used in terrestrial radio-	le desentation de	. A.,
S1:1988	relay systems Part 3: Simulated		
	systems		
•	Methods of measurement for	3 7 3 1 7 1 7 1	
CYS HD	equipment used in terrestrial radio-	图 08 (18 · 6 · 6 · 18 · 18 · 18 · 18 · 18 · 18	
	relay systems Part 2:	Leading Control	
477.2.6	Measurements for sub-systems	in the Saudi	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
S1:1987	Section 6: Diversity, twin-path and hot	pusakinaa viil	Art .
	stand-by equipment		
	Methods of measurement of		
CYS HD	equipment used in terrestrial radio-		
477.2.5	relay systems Part 2:	335, N.A. (255-345)	334 (34.49.4)
S1:1987	Measurements for sub-systems	reil Programme (1)	STATE NAME OF STATE
01.1307			
	Section 5: Frequency demodulators		
OVOLID	Methods of measurement of		10 68 68 18 X O
CYS HD	equipment used in terrestrial radio-		100000000000000000000000000000000000000
477.2.4	relay systems Part 2:	A. J. (1980) 14 (1990) 17 (1990)	
S1:1987	Measurements for sub-systems	1.545.0	-
	Section 4: Frequency modulators		
	Methods of measurement of	a sama 41 T	
CYS HD	equipment used in terrestrial radio-		
477.2.2	relay systems Part 2:		, '
S1:1987	Measurements for sub-systems		
31.1901	Section 2: Stand-by channel switching		
	equipment		
0)(0,115	Methods of measurement for		
CYS HD	equipment used in terrestrial radio-		the manufacture of the second second
477.2.1	relay systems Part 2:		
S1:1987	Measurements for sub-systems		×
	Section 1: General	1.12° 1.1 ° 11.41 ° 1	v · ·
	·	174 10 10 10 10 10	
CYS HD 475	Dimensions of planchets used in		
S1:1986	nuclear electronic instruments		
CYS HD 474	Dimensions of ball and socket		
S1:1986	couplings of string insulator units		\$ £
	, , , , , , , , , , , , , , , , , , ,		

OVO LID 470			
CYS HD 472 S1:1989/ A1:1995	Nominal voltages for low-voltage public electricity supply systems	29.020	
CYS HD 472 S1:1989	Nominal voltages for low-voltage public electricity supply systems	29.020	. 4
CYS HD 470 S1:1987	Test methods for electro-slag remelting furnaces	, such a de la properties de la constant de la cons	
CYS HD 469 S1:1987	Expression of the properties of logic analyzers		
CYS HD 467.2.3 S1:1990	Methods of measurement for radio equipment used in satellite earth stations Part 2: Measurements for sub-systems Section 3: Low-noise amplifier		
CYS HD 467.1.2 S1:1986	Methods of measurement for radio equipment used in satellite earth stations Part 1: Measurements common to sub-systems and combinations of sub-systems Section 2: Measurements in the r.f. range	28 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
CYS HD 462 S1:1987	Process stream radiation monitoring equipment in light water nuclear reactors for normal operating and incident conditions	tis charles	
CYS HD 461 S1:1987	Helical-scan video tape cassette system using 12,65 mm (0,5 in) magnetic tape on type beta format		d section
CYS HD 457 S1:1985	Code for designation of colours	1 1	
CYS HD 453 S1:1984	Multiple controllers in a CAMAC crate	4 24	
CYS HD 452.1 S1:1984	Analogue signals for process control systems Part 1: Direct current signals		
CYS HD 451 S1:1984	Transverse track video recorders		- 711
CYS HD 450.9 S1:1987	Hearing aids Part 9: Methods of measurement of characteristics of hearing aids with bone vibrator output		
CYS HD 450.5 S1:1985	Hearing aids Part 5: Nipples for insert earphones		
CYS HD 450.3 S1:1984	Hearing aids Part 3: Hearing aid equipment not entirely worn on the listener		Œ
CYS HD 450.11 S1:1985	Hearing aids Part 11: Symbols and other markings on hearing aids and related equipment		

		T	
CYS HD 446.3 S1:1993	Thermocouples Part 3: Extension and compensating cables - Tolerances and identification system		•.
CYS HD 445 S1:1983	Subroutines for CAMAC		
CYS HD 443 S1:1983	Occluded-ear simulator for the measurement of earphones coupled to the ear by ear inserts		
CYS HD 442 S1:1983	Radiation protection equipment for the measuring and monitoring of airborne tritium		
CYS HD 440 S1:1983	Test methods for electroheating installations with electron guns	egine (f. 1771) Herri John Magaga	
CYS HD 438 S1:1984	Method of test for electrical resistance and resistivity of insulating materials at elevated temperatures		
CYS HD 437 S1:1984	Standard conditions for use prior to and during the testing of solid electrical insulating materials		
CYS HD 432 S1:1983	Definitions of CAMAC terms used in IEC publications		
CYS HD 431 S1:1983	Block transfers in CAMAC system		
CYS HD 429 S1:1983	Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials		
CYS HD 428.6 S1:2002	Three phase oil-immersed distribution transformers 50 Hz, from 50 kVA to 2 500 kVA with highest voltage for equipment not exceeding 36 kV Part 6: Requirements and tests concerning pressurised corrugated tanks	29.180	
CYS HD 428.4 S1:1994	Three phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV Part 4: Determination of the power rating of a transformer loaded with non-sinusoidal currents		
CYS HD 428.3 S1:1994	Three-phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA, with highest voltage for equipment not exceeding 36 kV Part 3: Supplementary requirements for transformers with highest voltage for equipment equal to 36 kV		

CYS HD 428.2.3 S1:1998	Three-phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV Part 2: Distribution transformers with cable boxes on the high-voltage and/or low-voltage side Section 3: Cable boxes type 2 for use on distribution transformers meeting the requirements of HD 428.2.1	29.180	
CYS HD 428.2.2 S1:1997	Three-phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV Part 2: Distribution transformers with cable boxes on the high-voltage and/or low-voltage side Section 2: Cable boxes type 1 for use on distribution transformers meeting the requirements of HD 428.2.1 S1	29.180	5 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
CYS HD 428.2.1 S1:1994	Three phase oil-immersed distribution transformers 50 Hz, from 50 kVA to 2,5 MVA with highest voltage for equipment not exceeding 36 kV Part 2: Distribution transformers with cable boxes on the high-voltage and/or low-voltage side Section 1: General requirements		
CYS HD 428.1 S1:1992/A1:19 95	Three-phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV Part 1: General requirements and requirements for transformers with highest voltage for equipment not exceeding 24 kV	29.180	
CYS HD 428.1 S1:1992	Three-phase oil-immersed distribution transformers 50 Hz, from 50 to 2500 kVA with highest voltage for equipment not exceeding 36 kV Part 1: General requirements and requirements for transformers with highest voltage for equipment not exceeding 24 kV	29.180	e i kropa kalende. Tr
CYS HD 417 S2:1987 CYS HD	CAMAC - Serial Highway Interface System Specification for vulcanized fibre for		
416.3.1	electrical purposes Part 3:		

S1:1988	Specifications for individual materials - Sheet 1: Flat sheets	1 1 3 10 N	
CYS HD 416.2 S1:1987	Specification for vulcanized fibre for electrical purposes Part 2: Methods of test		
CYS HD 416.1 S1:1981	Specification for vulcanized fibre for electrical purposes Part 1: Definitions and general requirement	9268 21 90 - 3 3 3 5	
CYS HD 415 S1:1981	Detection and determination of specified anti-oxidant additives in insulating oils		tjen dopred
CYS HD 402 S2:1984	Standard colours for insulation for low- frequency cables and wires	SERVERGOS	
CYS HD 400.3 N S2:1992	Hand-held motor operated tools Part II: Particular specifications Section N: Hedge trimmers and scissor-type grass shears	11 (1.5%)	Partially superseded by EN 50144- 2-15:1997
CYS HD 400.1 S1:1980/ A1:1991	Hand-held motor operated tools Part I: General specifications	25.140.20	Superseded by EN 50144- 1:1995
CYS HD 400.1 S1:1980	Hand-held motor operated tools Part I: General specifications	25.140.20	Superseded by EN 50144- 1:1995
CYS HD 395.2.6 S1:1987	Medical electrical equipment Part 2: Particular requirements for the safety of microwave therapy equipment	and the second	. ** .
CYS HD 395.1 S2:1988/ A1:1993	Safety of medical electrical equipment Part 1: General requirements	* 1	, ,
CYS HD 395.1 S2:1988	Safety of medical electrical equipment Part 1: General Requirements		Will be superseded byEN 60601-1
CYS HD 391 S3:1988	Dimensions for the mounting of single- hole, bush-mounted, spindle-operated electronic components	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
CYS HD 384.7.753 S1:2002	Electrical installations of buildings Part 7: Requirements for special installations or locations Section 753: Floor and ceiling heating systems	29.020; 91.140.50	
CYS HD 384.7.714 S1:2000	Electrical installations of buildings Part 7: Requirements for special installations or locations Section 714: Outdoor lighting installations	91.140.50	
CYS HD 384.7.711 S1:2003	Electrical installations of buildings Part 7-711: Requirements for special installations or locations - Exhibitions, shows and stands	29.020; 91.140.50	1 7 E

CYS HD	Electrical installations of buildings	43.100;	
384.7.708	Part 7: Requirements for special	91.140.50;	
S1:1992	installations or locations Section	97.200.30	
31.1992	708: Caravan parks and caravans	37.200.50	
0)/0 UD	Electrical installations of buildings		e de la companya de
CYS HD	Part 7: Requirements for special		
384.7.706	installations or locations Section		
S1:1991	706: Restrictive conducting locations		
	Electrical installations of buildings	of marganet	
CYS HD	Part 7: Requirements for special		3.084.78
384.7.705	installations or locations Section	1.	
	705: Electrical installations of		
S1:1991			
	agricultural and horticultural premises		
	Electrical installations of buildings		
CYS HD	Part 7: Requirements for special		
384.7.704	installations or locations Section	91.140.50	
S1:2000	704: Construction and demolition site	1	
	installations		
	Electrical installations of buildings	Cupercade	
CYS HD	Part 7: Requirements for special	Supersede	
384.7.703	installations or locations Section	d by HD	
S1:1991	703: Locations containing sauna	60364-7-	
	heaters	703:2005	
	Electrical installations of buildings		
CYS HD	Part 7: Requirements for special		
	installations or locations Section	29.020;	
384.7.702		91.140.50	
S2:2002	702: Swimming pools and other		
0) (0 1 1 1	basins		
CYS HD	Electrical installations of buildings	13.260;	
384.6.61	Part 6-61: Verification - Initial	91.140.50	
S2:2003	verification		
CYS HD	Electrical installations of buildings		
384.5.56	Part 5: Selection and erection of		
S1:1985	electrical equipment Chapter 56:		
31.1903	Safety services		
	Electrical installations of buildings		
CYS HD	Part 5: Selection and erection of		
384.5.551	electrical equipment Chapter 55:	91.140.50	
S1:1997	Other equipment - Section 551: Low-	No. Oakty	
	voltage generating sets	5.1.5	
	Electrical installation of buildings	1.1	
CYS HD	Part 5: Selection and erection of	l a service	,
384.5.54	electrical equipment Chapter 54:	1 - 12 - 13 - 13 - 1	
S1:1988	Earthing arrangements and protective		
31.1800	conductors		
CVC LID			
CYS HD	Electrical installations of buildings	29.40.30;	
384.5.537	Part 5: Selection and erection of	91.140.50	
S2:1998	electrical equipment Chapter 53:		

	<u> </u>	
		,
	20 060 01:	Supersedes
electrical equipment Section 523:		HD 384.5.523
Current-carrying capacities in wiring	91.140.50	S1:1991
systems		
Electrical installations of buildings	12.	
	29.060.20:	
		. 72
	29 060 20	
	31.140.00	
	:	
		*
	91.140.50	
		# # # # # # # # # # # # # # # # # # #
		N 10 10 10 10 10 10 10 10 10 10 10 10 10
	40 000 00	
	91.140.50	
		-
	91 140 50	
	01.140.00	
		44 3000
	AND SHOP OF SHIP	2.75
	91.140.50	
46: Isolation and switching		
Electrical installations of buildings		
Part 4: Protection for safety Chapter		
45: Protection against undervoltage		
Electrical installations of buildings		
Part 4: Protection for safety Chapter		
44: Protection against overvoltages -	91.140.50	
Section 443: Protection against		
overvoltages of atmospheric origin or	-	,
	Electrical installations of buildings Part 5: Selection and erection of electrical equipment Chapter 52: Wiring systems Electrical installations of buildings Part 5: Selection and erection of electrical equipment Chapter 52: Wiring systems Electrical installations of buildings Part 5: Selection and erection of electrical equipment Chapter 51: Common rules Electrical installations of buildings Part 4: Protection for safety Chapter 48: Choice of protective measures as a function of external influences - Section 482: Protection against fire where particular risks or danger exist Electrical installations of buildings Part 4: Protection for safety Chapter 47: Application of protective measures for safety - Section 473: Measures of protection against overcurrent Electrical installations of buildings Part 4: Protection for safety Chapter 47: Application of protective measures for safety - Section 470: General - Section 471: Measures of protection against electric shock Electrical installations of buildings Part 4: Protection for safety Chapter 46: Isolation and switching Electrical installations of buildings Part 4: Protection for safety Chapter 46: Isolation and switching Electrical installations of buildings Part 4: Protection for safety Chapter 46: Protection against undervoltage Electrical installations of buildings Part 4: Protection against overvoltages Electrical installations of buildings Part 4: Protection against overvoltages Electrical installations of buildings Part 4: Protection against overvoltages Electrical installations of buildings Part 4: Protection against overvoltages Electrical installations of buildings Part 4: Protection against overvoltages	Electrical installations of buildings Part 5: Selection and erection of electrical equipment Section 523: Current-carrying capacities in wiring systems Electrical installations of buildings Part 5: Selection and erection of electrical equipment Chapter 52: Wiring systems Electrical installations of buildings Part 5: Selection and erection of electrical equipment Chapter 52: Wiring systems Electrical installations of buildings Part 5: Selection and erection of electrical equipment Chapter 52: Wiring systems Electrical installations of buildings Part 5: Selection and erection of electrical equipment Chapter 51: Common rules Electrical installations of buildings Part 4: Protection for safety Chapter 48: Choice of protective measures as a function of external influences - Section 482: Protection against fire where particular risks or danger exist Electrical installations of buildings Part 4: Protection for safety Chapter 47: Application of protective measures for safety Section 473: Measures of protection against overcurrent Electrical installations of buildings Part 4: Protection for safety Chapter 47: Application of protective measures for safety Section 470: General - Section 471: Measures of protection against electric shock Electrical installations of buildings Part 4: Protection for safety Chapter 46: Isolation and switching Electrical installations of buildings Part 4: Protection for safety Chapter 46: Isolation and switching Electrical installations of buildings Part 4: Protection for safety Chapter 46: Isolation and switching Electrical installations of buildings Part 4: Protection against undervoltage Electrical installations of buildings Part 4: Protection against undervoltage Electrical installations of buildings Part 4: Protection against undervoltage Electrical installations of buildings Part 4: Protection against undervoltage Electrical installations of buildings Part 4: Protection against undervolta

	due to switching		
CYS HD 384.4.442 S1:1997	Electrical installations of buildings Part 4: Protection for safety Chapter 44: Protection against overvoltages - Section 442: Protection of low-voltage installations against faults between high-voltage systems and earth	91.140.50	
CYS HD 384.4.43 S2:2001	Electrical installations of buildings Part 4: Protection for safety Chapter 43: Protection against overcurrent	29.120.50; 91.140.50	
CYS HD 384.4.42 S1:1985/ A2:1994	Electrical installations of buildings Part 4: Protection for safety Chapter 42: Protection against thermal effects		
CYS HD 384.4.42 S1:1985/ A1:1992	Electrical installations of buildings Part 4: Protection for safety Chapter 42: Protection against thermal effects	Articles (Articles of Articles	194
CYS HD 384.4.42 S1:1985	Electrical installations of buildings Part 4: Protection for safety Chapter 42: Protection against thermal effects		
CYS HD 384.4.41 S2:1996/ A1:2002	Electrical installations of buildings Part 4: Protection for safety Chapter 41: Protection against electric shock	91.140.50; 13.260	e en
CYS HD 384.4.41 S2:1996	Electrical installations of buildings Part 4: Protection for safety Chapter 41: Protection against electric shock	91.140.50	
CYS HD 384.3 S2:1995	Electrical installations of buildings Part 3: Assessment of general characteristics	91.140.50	
CYS HD 384.1 S2:2001	Electrical installations of buildings Part 1: Scope, object and fundamental principles	91.140.50	
CYS HD 383 S2:1986/ A2:1993	Conductors of insulated cables - First supplement: Guide to the dimensional limits of circular conductors		Superseded by EN 60228:2005
CYS HD 383 S2:1986/ A1:1989	Conductors of insulated cables - First supplement: Guide to the dimensional limits of circular conductors		Superseded by EN 60228:2005
CYS HD 383 S2:1986	Conductors of insulated cables - First supplement: Guide to the dimensional limits of circular conductors	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Superseded by EN 60228:2005
CYS HD 382 S1:1979	Determination of the aromatic hydrocarbon content of new mineral insulating oils		i ingst
CYS HD 381	Methods of test for the determination		

S1:1979	of ionia impurition in algoritical	T	
31.1979	of ionic impurities in electrical insulating materials by extraction with		
	liquids		
	- · · · · · · · · · · · · · · · · · · ·		
CYS HD 380	Test methods for evaluating		
S2:1987	resistance to tracking and erosion of	57	
32.1901	electrical insulating materials used	1. 4.	
	under severe ambient conditions		
CVC LID 074	CAMAC - Organization of multi-crate	٠.	
CYS HD 374	systems - Specification of the Branch-	1 1 1	
S2:1986	highway and CAMAC crate controller		
	Type A1		
CYS HD 371	Portable bore-hole logging equipment		
S1:1979	(down to 300 m) - General		
	characteristics		
0) (0 1 17 07 0	Modular plug-in unit and standard 19-		
CYS HD 370	inch rack mounting unit based on NIM		
S2:1987	standard (for electronic nuclear		
	instruments)		
CYS HD 369.8	Audiovisual, video and television		
S1:1984	equipment and systems Part 8:		
01.1004	Symbols and identification		
	Audiovisual, video and television		
CYS HD	equipment and systems Part 5:	. :	
369.5.2	Control synchronization and address	- 1	
S1:1986	codes Chapter II: Control systems		
31.1900	for two still projectors - Operating		
	practice		
	Audiovisual, video and television		
CYS HD 369.5	equipment and systems Part 5:		
S1:1983	Control, synchronization and address		
31.1903	codes Chapter I: Synchronized		
	tape/visual operating practice		
	Audiovisual, video and television		***************************************
CYS HD 369.3	equipment and systems Part 3:		
S1:1986	Connectors for the interconnection of		
	equipment in audio-visual systems		
	Audiovisual, video and television		
CYS HD	equipment and systems Part 18:		
369.18	Connectors for automatic slide		
S1:1989	projectors with built-in-triacs for		
	audiovisual application		
CYS HD	Audiovisual, video and television		
369.14	equipment and systems Part 14:	,	
S2:1989	Audio striped card system		
	Audiovisual, video and television		
CYS HD	equipment and systems Part 13:		
369.13	Digital counter for audio cassette		
S1:1984	systems		

CYS HD 369.10	Audiovisual, video and television equipment and systems Part 10:		
S4:1991	Audio cassette systems		
CYS HD 369.1 S1:1978	Audiovisual, video and television equipment and systems Part 1: General	gavir Laggirfoth Displayorfo	
CYS HD 368 S1:1978	Direct acting recording electrical measuring instruments and their accessories		
CYS HD 363 S1:1977	Dimensions of spindle ends for manually operated electronic components		
CYS HD 361 S3:1999	System for cable designation	28.060.20	
CYS HD 359 S2:1990	Flat polyvinylchloride sheathed lift cables	Seer any	Will be superseded by new edition of EN 50214
CYS HD 357 S2:1987	A modular instrumentation system for data handling; CAMAC system		
CYS HD 351.5 S1:1986	Rigid precision coaxial lines and their associated precision connectors Part 5: 50 ohm 3,5 mm rigid precision coaxial line with provision for mounting connectors		
CYS HD 351.4 S2:1984	Rigid precision coaxial and their associated precision connectors Part 4: 21 mm rigid precision coaxial line and associated hermaphroditic precision coaxial connector - Characteristic impedance 50 ohm (Type 9/21) - Characteristic impedance 75 ohms (Type 6/21)		***************************************
CYS HD 351.3 S2:1981	Rigid precision coaxial lines and their associated precision connectors Part 3: 14 mm rigid precision coaxial line and associated hermaphroditic precision coaxial connector - Characteristic impedances 50 ohm and 75 ohm		
CYS HD 351.2 S1:1977	Rigid precision coaxial lines and their associated precision connectors Part 2: 50 ohm 7 mm rigid precision coaxial line and associated hermaphroditic precision coaxial connector		1. (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
CYS HD 351.1	Rigid precision coaxial lines and their		

S1:1977	associated precision connectors Part 1: General requirements and measuring methods		
CYS HD 350.1 S1:1978	General purpose rigid coaxial transmission lines and their associated flange connectors – Part 1: General requirements and measuring methods		
CYS HD 349 S1:1977	Preferred diameters of wire terminations of capacitors and resistors		
CYS HD 337 S3:1989	Analogue audio disk records and reproducing equipment		
CYS HD 329 S1:1977	Tests on hollow insulators for use in electrical equipment		Superseded by EN 62155:2003
CYS HD 323.2.54 S1:1987	Basic environmental testing procedures Part 2: Tests - Test Ta: Soldering - Solderability testing by the wetting balance method		
CYS HD 323.2.46 S1:1988	Basic environmental testing procedures Part 2: Tests - Guidance to Test Kd: Hydrogen sulphide test for contacts and connections		
CYS HD 323.2.20 S3:1988	Basic environmental testing procedures Part 2: Tests - Test T: Soldering		
CYS HD 323.2.10 S3:1988	Environmental testing Part 2: Tests - Test J and guidance: Mould growth		Superseded by EN 60068- 2-10:2005
CYS HD 311.6 S1:1987	Magnetic tape sound recording and reproducing systems Part 6: Reel-to-reel systems		
CYS HD 311.10 S1:1989	Magnetic tape sound recording and reproducing systems Part 10: Time and address codes		
CYS HD 308 S2:2001	Identification of cores in cables and flexible cords	29.060.20; 91.140.50	Supersedes HD 3 S2:1976
CYS HD 308 S1:1976	Identification and use of cores of flexible cables	29.060.20; 91.140.50	Superseded by HD 308 S2:2001
CYS HD 307.3.4 S1:1987	Specification for solventless polymerisable resinous compounds used for electrical insulation Part 3: Specifications for individual materials Sheet 4: Filled polyurethane compounds	29.035.01	Superseded by EN 60455- 3-4:2003

CYS HD 307.3.3 S1:1986	Specification for solventless polymerisable resinous compounds used for electrical insulation Part 3: Specifications for individual materials Sheet 3: Unfilled polyurethane compounds	29.035.01	Superseded by EN 60455- 3-3:2003
CYS HD 307.3.2 S2:1997	Specification for solventless polymerisable resinous compounds used for electrical insulation Part 3: Specifications for individual materials Sheet 2: Quartz filled epoxy resinous compounds	29.040.20	Superseded by EN 60455- 3-2:2003
CYS HD 307.3.11 S1:1990	Specification for solventless polymerisable resinous compounds used for electrical insulation Part 3: Specifications for individual materials Sheet 11: Epoxy resin-based coating powders		
CYS HD 307.3.1 S1:1986	Specification for solventless polymerisable resinous compounds used for electrical insulation Part 3: Specifications for individual materials Sheet 1: Unfilled epoxy resinous compounds	29.035.01	Superseded by EN 60455- 3-1:2003
CYS HD 307.2.2 S1:1986	Specification for solventless polymerisable resinous compounds used for electrical insulation Part 2: Methods of test Test methods for coating powders for electrical purposes	e San	
CYS HD 305 S1:1977	IEC reference coupler for the measurement of hearing aids using earphones coupled to the ear by means of ear inserts	+ A	Supersedes HD 181
CYS HD 3 S2:1976	Identification and use of cores of cables	29.060.20; 91.140.50	Superseded by HD 308 S2:2001
CYS HD 27 S1:1978	Colours of the cores of flexible cables and cords		10.0
CYS HD 245.4 S1:1987	Letter symbols to be used in electrical technology Part 4: Symbols for quantities to be used for rotating electrical machines		
CYS HD 245.3 S3:2001	Letter symbols to be used in electrical technology Part 3: Logarithmic quantities and units	01.060	Superseded by HD 60027- 3:2004
CYS HD 245.2 S1:1983	Letter symbols to be used in electrical technology Part 2:	01.060	Supersedes HD 332

	Telecommunications and electronics		Superseded by HD 60027- 2:2003
CYS HD 245.1 S3:1979	Letter symbols to be used in electrical technology Part 1: General	01.060	Superseded by HD 60027- 1:2004
CYS HD 242 S1:1977	Maximum case dimensions for capacitors and resistors		
CYS HD 22.9 S2:1995	Rubber insulated cables of rated voltages up to and including 450/750 V Part 9: Single core non-sheathed cables for fixed wiring having low emission of smoke and corrosive gases	29.060.20	
CYS HD 22.8 S2:1994/ A2:2004	Cables of rated voltages up to and including 450/750 V and having crosslinked insulation Part 8: Polychloroprene or equivalent synthetic elastomer sheathed cable for decorative chains	29.060.20	
CYS HD 22.8 S2:1994	Cables of rated voltages up to and including 450/750 V and having crosslinked insulation Part 8: Polychloroprene or equivalent synthetic elastomer sheathed cable for decorative chains	29.060.20	
CYS HD 22.7 S2:1995/ A2:2004	Cables of rated voltages up to and including 450/750 V and having crosslinked insulation Part 7: Cables with increased heat resistance for internal wiring for a conductor temperature of 110 °C	29.060.20	
CYS HD 22.7 S2:1995	Cables of rated voltages up to and including 450/750 V and having crosslinked insulation Part 7: Cables with increased heat resistance for internal wiring for a conductor temperature of 110 °C	29.060.20	
CYS HD 22.6 S2:1995/A2:20 04	Maintenance of LV standards - Group A Rubber insulated cables of rated voltages up to and including 450/750 V Part 6: Arc welding cables	29.060.20	
CYS HD 22.6 S2:1995	Cables of rated voltages up to and including 450/750 V and having crosslinked insulation Part 6: Arc welding cables	29.060.20	

CYS HD 22.4 S4:2004	Cables of rated voltages up to and including 450/750 V and having crosslinked insulation Part 4: Cords and flexible cables	29.060.20	
CYS HD 22.4 S3:1995	Cables of rated voltages up to and including 450/750 V and having crosslinked insulation Part 4: Cords and flexible cables	29.060.20	Supersedes HD 22.4 S2 + A6 * Superseded by HD 22.4 S4:2004
CYS HD 22.3 S4:2004	Cables of rated voltages up to and including 450/750 V and having crosslinked insulation Part 3: Heat resistant silicone rubber insulated cables	29.060.20	
CYS HD 22.3 S3:1995	Rubber insulated cables of rated voltages up to and including 450/750 V Part 3: Heat resistant silicone rubber insulated cables	29.060.20	Superseded by HD 22.3 S4:2004
CYS HD 22.2 S3:1997	Cables of rated voltages up to and including 450/750 V and having cross-linked insulation Part 2: Test methods	29.060.20	Superseded by EN 50395:2005 & EN 50396:2005
CYS HD 22.16 S1:2000	Rubber insulated cables of rated voltages up to and including 450/750 V Part 16: Water resistant polychloroprene or equivalent synthetic elastomer sheathed cables	29.060.20	
CYS HD 22.15 S1:1999	Rubber insulated cables of rated voltages up to and including 450/750 V Part 15: Multicore cables insulated and sheathed with heat resistant silicone rubber	29.060.20	
CYS HD 22.14 S2:2002	Cables of rated voltages up to and including 450/750 V and having cross-linked insulation Part 14: Cords for applications requiring high flexibility	29.060.20	a- · · · ·
CYS HD 22.13 S1:1996	Rubber insulated cables of rated voltages up to and including 450/750 V Part 13: Single and multicore flexible cables, insulated and sheathed with crosslinked polymer and having low emission of smoke and corrosive gases	29.060.20	
CYS HD 22.12 S1:1996	Rubber insulated cables of rated voltages up to and including 450/750 V Part 12: Heat resistant EPR cords	29.060.20	- :

	and flexible cables		
CYS HD 22.11 S1:1995	Rubber insulated cables of rated voltages up to and including 450/750 V Part 11: EVA cords and flexible cables	29.060.20	·
CYS HD 22.10 S1:1994	Rubber insulated cables of rated voltages up to and including 450/750 V Part 10: EPR insulated and polyurethane sheathed flexible cable	29.060.20	
CYS HD 22.1 S4:2002	Cables of rated voltages up to and including 450/750 V and having cross-linked insulation Part 1: General requirements	29.060.20	
CYS HD 214 S2:1980	Method for determining the comparative and the proof tracking indices of solid insulating materials under moist conditions	19.080; 29.035.01	Superseded by EN 60112:2003
CYS HD 21.9 S2:1995	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 9: Single core nonsheathed cable for installation at low temperatures	29.060.20	
CYS HD 21.8 S2:1999	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 8: Single core nonsheathed cables for decorative chains	29.060.20	
CYS HD 21.7 S2:1996	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 7: Single core nonsheathed cables for internal wiring for a conductor temperature of 90° C	29.060.20	
CYS HD 21.5 S3:1994	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 5: Flexible cables (cords)	29.060.20	
CYS HD 21.3 S3:1995	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 3: Non-sheathed cables for fixed wiring	29.060.20	
CYS HD 21.2 S3:1997	Cables of rated voltages up to and including 450/750 V and having thermoplastic insulation Part 2: Test methods	29.060.20	Superseded by EN 50395:2005 & EN 50396:2005
CYS HD 21.14 S1:2003	Cables of rated voltage up to and including 450/750 V and having thermoplastic insulation Part 14: Flexible cables (cords), insulated and	29.060.20	

	sheathed with halogen-free thermoplastic compounds	大台(Mary V) (1000)	
CYS HD 21.13 S1:1995	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 13: Oil resistant	29.060.20	
31.1993	PVC sheathed cables with two or more conductors		
CYS HD 21.12 S1:1994	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 12: Heat-resistant flexible cables (cords)	29.060.20	
CYS HD 21.11 S1:1995	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 11: Cables for luminaires	29.060.20	f
CYS HD 21.10 S2:2001	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 10: Extensible leads	29.060.20	
CYS HD 21.1 S4:2002	Cables of rated voltages up to and including 450/750 V and having thermoplastic insulation Part 1: General requirements	29.060.20	The second secon
CYS HD 193 S2:1982	Voltage bands for electrical installations of buildings		y a 1 2000)
CYS HD 148 S2:1977	Methods for the measurement of direct interelectrode capacitances of electronic tubes and valves		us a ma
CYS HD 146 S4:1988	Dimensions of electronic tubes and valves	- table	
CYS HD 145 S1:1977	Numbering of electrodes and designation of units in electronic tubes and valves		,
CYS HD 138 S2:1990	Sealing test for pressurized waveguide tubing and assemblies		
CYS HD 134.7 S2:1995	Radio-frequency connectors Part 7: R.F. coaxial connectors with inner diameter of outer conductor 9,5 mm (0,374 in) with bayonet lock - Characteristic impedance 50 ohm (Type C)	33.120.30	Supersedes HD 134.7 S1
CYS HD 134.6 S1:1977	Radio-frequency connectors Part 6: R.F. coaxial connectors for cables 96 IEC 60075-17 and larger		
CYS HD 134.5 S1:1977	Radio-frequency connectors Part 5: R.F. coaxial connectors for cables 96 IEC 60050-17 and larger		`.
CYS HD 134.4 S2:1977	Radio-frequency connectors Part 4: R.F. coaxial connectors with inner		

	diameter of outer conductor 16 mm (0,63 in) with screw lock - Characteristic impedance 50 ohms (Type 7-16)	1	
CYS HD 134.3 S1:1977	Radio-frequency connectors Part 3: Two pin connector for twin balanced aerial feeders		
CYS HD 134.2 S2:1984	Radio-frequency connectors Part 2: Coaxial unmatched connector	y the thirty of	
CYS HD 129.7 S1:1977	Flanges for waveguides Part 7: Relevant specifications for flanges for square waveguides		
CYS HD 129.6 S1:1984	Flanges for waveguides Part 6: Relevant specifications for flanges for medium flat rectangular waveguides		
CYS HD 129.4 S1:1977	Flanges for waveguides Part 4: Relevant specifications for flanges for circular waveguides	1 (4) (4)	
CYS HD 129.3 S2:1983	Flanges for waveguides Part 3: Relevant specifications for flanges for flat rectangular waveguides	977 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
CYS HD 123.7 S1:1977	Hollow metallic waveguides Part 7: Relevant specifications for square waveguides		
CYS HD 123.6 S2:1980	Hollow metallic waveguides Part 6: Relevant specifications for medium flat rectangular waveguides		7.11
CYS HD 123.4 S1:1977	Hollow metallic waveguides Part 4: Relevant specifications for circular waveguides		
CYS HD 123.3 S1:1977	Hollow metallic waveguides Part 3: Relevant specifications for flat rectangular waveguides		
CYS HD 123.2 S1:1977	Hollow metallic waveguides Part 2: Relevant specifications for ordinary rectangular waveguides		
CYS HD 123.1 S1:1977	Hollow metallic waveguides Part 1: General requirements and measuring methods		
CYS HD 120 S1:1977	Characteristic impedances and dimensions of radio-frequency coaxial cables		

CYS HD	Tide	ICS1	Withdrawn
Document:	Title	1051	
CYS HD 384.7.708 S2:2005	Electrical installations of buildings Part 7: Requirements for special installations or locations Section 708: Electrical installations in caravan parks	91.140.50; 97.200.30	Supersedes HD 384.7.708 S1:1992 together with HD 384.7.754 S1:2005
CYS HD 384.7.754 S1:2005	Electrical installations of buildings Part 7: Requirements for special installations or locations Section 754: Electrical installations in caravans and motor-caravans	43.100; 91.140.50	Supersedes HD 384.7.708 S1:1992 together with HD 384.7.708 S2:2005
CYS HD 60269- 2-1:2005	Low-voltage fuses Part 2-1: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) Sections I to VI: Examples of types of standardized fuses	29.120.50	Supersedes HD 630.2.1 S6:2003
CYS HD 60269- 3-1:2004	Low-voltage fuses Part 3-1: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household and similar applications) Sections I to IV: Examples of types of standardized fuses	29.120.50	Supersedes HD 630.3.1 S3:2002
CYS HD 60364- 7-703:2005	Electrical installations of buildings Part 7-703: Requirements for special installations or locations - Rooms and cabins containing sauna heaters	29.020; 91.140.50	

CYS EN Document:	Title	ICS1	Withdrawn
CYS EN 62271- 200:2004	High-voltage switchgear and controlgear Part 200: AC metalenclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV	29.130.19	Supersedes CYS EN 60298:1996 + A11:1999
CYS EN 62077:2001	Fibre optic circulators - Generic specification	33.180.20	
CYS EN 62044- 3:2001	Cores made of soft magnetic materials - Measuring methods Part 3: Magnetic properties at high excitation level	29.030; 29.100.10	.
CYS EN 62027:2000	Preparation of parts lists	29.020	
CYS EN 61993- 1:1999	Maritime navigation and radiocommunication equipment and systems Part 1: Shipborne automatic transponder system installation using VHF digital selective calling (DSC) techniques - Operational and performance requirements, methods of testing and required test results	47.020.70	
CYS EN 61969- 3:2001	Mechanical structures for electronic equipment - Outdoor enclosures Part 3: Sectional specification - Climatic, mechanical tests and safety aspects for cabinets and cases	31.240	
CYS EN 61960:2004	Secondary cells and batteries containing alkaline or other nonacid electrolytes - Secondary lithium cells and batteries for portable applications	29.220.99	Supersedes
CYS EN 61959:2004	Secondary cells and batteries containing alkaline or other nonacid electrolytes - Mechanical tests for sealed portable secondary cells and batteries	29.220.99	Partially supersedes CYS EN 61960-1:2001 and CYS EN 61960-2:2001 (in their mech.aspects)

	Decording Helical coop digital	· · · · · · · · · · · · · · · · · · ·	
	Recording - Helical-scan digital		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	video cassette recording system		
CYS EN 61834-	using 6,35 mm magnetic tape for		
8:2001	consumer use (525-60, 625-50,	33.160.40	*
0.2001	1125-60 and 1250-50 systems)		
	Part 8: PALplus format for the 625-		
	50 system		
	Recording - Helical-scan digital		10000000
	video cassette recording system		5 (17) 41 (2)
CYS EN 61834-	using 6,35 mm magnetic tape for	20 400 40	
7:2001	consumer use (525-60, 625-50,	33.160.40	
	1125-60 and 1250-50 systems)		
	Part 7: EDTV2 format		
	Fibre optic connector interfaces		. 48. 12. 12. 12.
CYS EN 61754-	Part 6-1: Type MU connector family	Professor (1989)	NAME OF VIOLE
6-1:2003	- Simplified receptacle MU-PC	33.180.20	
0 1.2000	connector interfaces		
	Liquid crystal and solid-state display		
CYS EN 61747-	devices Part 2-1: Passive matrix	(2.5 作為Table)	
2-1:2001	monochrome LCD modules - Blank	31.120	Programme and section
2-1.2001	detail specification		100
	detail specification	e akityiwa	
CYS EN	Calibration of fibre optic chromatic	22 400 04	Superseded by
61744:2001	dispersion test sets	33.180.01	EN 61744:2005
	Electronic Design Interchange	See Self and point finance of	
CYS EN 61690-		25 240 50	,
2:2000	Format (EDIF) – Part 2: Version 4 0 0	35.240.50	
OVO EN	Electroacoustics - Equipment for	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	·
CYS EN	the measurement of real-ear	17.140.50	
61669:2001	acoustical characteristics of hearing	2.2.2.2.2	
	aids		
CYS EN	Test method for the mechanical	00.400.40	
61631:2001	strength of cores made of magnetic	29.100.10	
	oxides	(* + +) } + +	
CYS EN 61378-	Convertor transformers Part 2:		
2:2001	Transformers for HVDC	29.180	
2.2001	applications		
·	Distribution automation using		
CYS EN 61334-	distribution line carrier systems		
5-1:2001	Part 5-1: Lower layer profiles - The	33.200	
3-1.2001	spread frequency shift keying (S-	-	
	FSK) profile		
	Distribution automation using		
	distribution line carrier systems	V 2	
CYS EN 61334-	Part 3-22: Mains signaling	29.240.20;	
3-22:2001	requirements - MV phase-to-earth	33.200	
<u> </u>	and screen-to-earth intrusive	, , , a =	
	coupling devices		
L	1	L	<u> </u>

CYS EN 61290- 3-2:2003	Optical amplifiers Part 3-2: Test methods for noise figure parameters - Electrical spectrum analyzer method	33.180.30	7.7 7.7 2.7 7.7
CYS EN 61243- 5:2001	Live working - Voltage detectors Part 5: Voltage detecting systems (VDS)	22.260.99	
CYS EN 61204- 6:2001	Low-voltage power supplies, DC output Part 6: Requirements for low-voltage power supplies of assessed performance	29.200	
CYS EN 61146- 4:1998	Video cameras (PAL/SECAM/NTSC) - Methods of measurement Part 4: Automatic functions of video cameras and camera-recorders	33.160.40	
CYS EN 61083- 2:1997	Digital recorders for measurements in high-voltage impulse tests Part 2: Evaluation of software used for the determination of the parameters of impulse waveforms	17.220.20	
CYS EN 61016:2001	Helical-scan digital component video cassette recording system using 19 mm magnetic tape (format D-1)	33.160.40	
CYS EN 60976:1999	Medical electrical equipment - Medical electron accelerators - Functional performance characteristics	11.040.50	Former HD 583 S1
CYS EN	Numeric keyboard for home		
60948:1990 CYS EN 60872- 3:2001	electronic systems (HES) Maritime navigation and radiocommunication equipment and systems - Radar plotting aids Part 3: Electronic plotting aid (EPA) - Performance requirements - Methods of testing and required test results	47.020.70	
CYS EN 60870- 6-501:1996	Telecontrol equipment and systems Part 6: Telecontrol protocols compatible with ISO standards and ITU-T recommendations Section 501: TASE.1 Service definitions	33.200	
CYS EN 60806:2004	Determination of the maximum symmetrical radiation field from a rotating anode X-ray tube for medical diagnosis	11.040.50	Supersedes HD 513 S1:1989

CYS EN 60730- 2-8:2002/ A1:2003	Automatic electrical controls for household and similar use Part 2-8: Particular requirements for electrically operated water valves, including mechanical requirements	97.120	, , , , , , , , , , , , , , , , , , ,
CYS EN 60613:1990	Electrical, thermal and loading characteristics of rotating anode X-ray tubes for medical diagnosis		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
CYS EN 60609- 2:1999	Cavitation pitting evaluation in hydraulic turbines, storage pumps and pump-turbines Part 2: Evaluation in Pelton turbines	27.140	
CYS EN 60601- 3-1:1996	Medical electrical equipment Part 3-1: Essential performance requirements for transcutaneous oxygen and carbon dioxide partial pressure monitoring equipment	11.040.50	
CYS EN 60601- 2-25:1995/ A1:1999	Medical electrical equipment Part 2-25: Particular requirements for the safety of electrocardiographs	11.040.99	
CYS EN 60598- 2-10:1989	Luminaires Part 2: Particular requirements Section 10: Portable child-appealing luminaires		Superseded by CYSEN 60598- 2-10:2003
CYS EN 60555- 1:1987	Disturbances in supply systems caused by household appliances and similar electrical equipment Part 1: Definitions	Programa Stranding Stranding Stranding	Supersedes EN 50006:1975
CYS EN 60424- 4:2001	Ferrite cores - Guide on the limits of surface irregularities Part 4: Ring cores	29.100.10	e e e e e e e e e e e e e e e e e e e
CYS EN 60404- 6:2003	Magnetic materials Part 6: Methods of measurement of the magnetic properties of magnetically soft metallic and powder materials at frequencies in the range 20 Hz to 200 kHz by the use of ring specimens	17.220.20; 29.030	
CYS EN 60335- 2-79:1998/ A1:2001	Safety of household and similar electrical appliances Part 2-79: Particular requirements for high pressure cleaners and steam cleaners, for industrial and commercial use	97.080	Superseded by CYSEN 60335- 2-79:2004
CYS EN 60335- 2-72:1998/ A1:2000	Safety of household and similar electrical appliances Part 2-72: Particular requirements for automatic machines for floor treatment for commercial and	97.080	

industrial use		
equipment - Dimensions of	Haraday da Nasar Azar	Superseded by
mm (19 in) series Part 5-105:	31.240	EN 60297-3- 103:2004
units - Alignment and/or earth pin		
		Superseded by
mechanical structures of the 482,6	31.240	EN 60297-3-
Subracks and associated plug-in		103:2004
Mechanical structures for electronic equipment - Dimensions of	x 159 4 x 1411 2 2 3 4 4	
mechanical structures of the 482,6 mm (19 in) series Part 5-103:	31.240	Superseded by EN 60297-3-
Subracks and associated plug-in		101:2004
protection		
Mechanical structures for electronic equipment - Dimensions of	and the second	
mechanical structures of the 482,6 mm (19 in) series Part 5-102:	31.240	Superseded by EN 60297-3-
Subracks and associated plug-in units - Electromagnetic shielding		101:2004
Mechanical structures for electronic	in a ja s.	
mechanical structures of the 482,6 mm (19 in) series Part 5-101: Subracks and associated plug-in	31.240	Superseded by EN 60297-3- 102:2004
Mechanical structures for electronic		
mechanical structures of the 482,6 mm (19 in) series Part 5-100: Subracks and associated plug-in	31.240	Superseded by EN 60297-3- 101:2004
Definitions and nomenclature for carbon brushes, brush-holders,	01.040.29; 29.100.20	
Electrical relays Part 22-6: Electrical disturbance tests for measuring relays and protection equipment - Immunity to conducted	29.120.70	
	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-105: Subracks and associated plug-in units - Alignment and/or earth pin Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-104: Subracks and associated plug-in units - Keying Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-103: Subracks and associated plug-in units - Electrostatic discharge protection Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-102: Subracks and associated plug-in units - Electromagnetic shielding provision Mechanical structures for electronic equipment - Dimensions of mechanical structures for electronic equipment - Dimensions	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-105: Subracks and associated plug-in units - Alignment and/or earth pin Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-104: Subracks and associated plug-in units - Keying Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-103: Subracks and associated plug-in units - Electrostatic discharge protection Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-102: Subracks and associated plug-in units - Electromagnetic shielding provision Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-101: Subracks and associated plug-in units - Injector/extractor handle Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-101: Subracks and associated plug-in units - Injector/extractor handle Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-100: Subracks and associated plug-in units - Injector/extractor handle Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series Part 5-100: Subracks and associated plug-in units - Injector/extractor handle Mechanical structures for electronic equipment - Dimensions of mechanical structure

CYS EN	Calculation of the effective	20 400 40	
60205:2001	parameters of magnetic piece parts	29.100.10	
CYS EN 60193:1999	Hydraulic turbines, storage pumps and pump-turbines - Model acceptance tests	27.140	Supersedes CYS EN 60995:1995
CYS EN 60143- 1:2004	Series capacitors for power systems Part 1: General	31.060.70	
CYS EN 60139:2001	Preparation of outline drawings for cathode-ray tubes, their components, connections and gauges	31.100	Supersedes HD 147 S1:1977
CYS EN 60086- 4:2000	Primary batteries Part 4: Safety standard for lithium batteries	29.220.10	
CYS EN 100014:1991	Basic Specification: CECC assessed process average procedure (60% confidence limit)		CECC 00 014 Issue 1:1986
CYS EN 111000:1991	Generic Specification: Cathode ray tubes		CECC 11 000:1980
CYS EN 111001:1991	Blank Detail Specification: Cathode ray tubes		CECC 11 001:1986
CYS EN 111100:1991	Sectional Specification: Display storage tubes	ji P	CECC 11 100:1984
CYS EN 111101:1991	Blank Detail Specification: Display storage tubes		CECC 11 101:1984
CYS EN 112001:1991	Blank Detail Specification: Image converter and image intensifier tubes	THE CONTRACT STATE OF BUILDING	CECC 12 001:1980
CYS EN 113000:1991	Generic Specification: Camera tubes		CECC 13 000 Issue 1:1980
CYS EN 113001:1991	Blank Detail Specification: Camera tubes		CECC 13 001 Issue 1:1980
CYS EN 114000:1991	Generic Specification: Photomultiplier tubes		CECC 14 000 Issue 1:1984
CYS EN 114001:1991	Blank Detail Specification: Photomultiplier tubes		CECC 14 001 Issue 1:1984
CYS EN 116200:1991	Sectional Specification: Electromechanical all-or-nothing relays (including relays for severe environmental conditions)		CECC 16 200 Issue 1:1990
CYS EN 117000:1991	Generic Specification: Solid state all-or-nothing relays of assessed quality - Generic data and methods of test		CECC 17 000 Issue 2:1990
CYS EN 120001:1992	Blank Detail Specification: Light emitting diodes, light emitting diode arrays, light emitting diode displays without internal logic and resistor		CECC 20 001 Issue 2:1991

CYS EN 120002:1992	Blank Detail Specification: Infrared emitting diodes, infrared emitting diode arrays		CECC 20 002 Issue 1:1983
CYS EN 120003:1992	Blank Detail Specification: Phototransistors, photodarlington transistors, phototransistor arrays	441 M.C. T.	CECC 20 003 Issue 1:1986
CYS EN 120004:1992	Blank Detail Specification: Ambient rated photocouplers with phototransistor output		CECC 20 004 Issue 2:1987
CYS EN 120005:1992	Blank Detail Specification: Photodiodes, photodiode arrays (not intended for fibre optic applications)	6 (4 (1) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (1) (4 (4) (4) (4 (4) (4) (4) (4 (4) (4) (CECC 20 005 Issue 1:1986
CYS EN 120006:1992	Blank Detail Specification: PIN- photodiodes for fibre optic applications	14 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	CECC 20 006 Issue 1:1991
CYS EN 120007:1992	Blank Detail Specification: Liquid cristal displays - Monochrome LCDs without electronic circuit		CECC 20 007 Issue 1:1991
CYS EN 122150:1993	Sectional Specification: Radio frequency coaxial connectors - Series EIA flange		CECC 22 150 Issue 1:1986
CYS EN 122160:1993	Sectional Specification: Radio frequency coaxial connectors - Series SSMA		CECC 22 160 Issue 2:1992
CYS EN 123000:1991	Generic Specification: Printed boards	Tracepolitica i Tracepolitica (CT)	CECC 23 000 Issue 1:1985
CYS EN 123100:1992	Sectional Specification: Single and double-sided printed boards with plain holes		CECC 23 100 Issue 1:1985
CYS EN 123200:1992	Sectional Specification: Single and double sided printed boards with plated-through holes		CECC 23 200:1985
CYS EN 123300:1992	Sectional Specification: Multilayer printed boards		CECC 23 300:1985
CYS EN 123400- 800:1992	Capability Detail Specification: Flexible printed boards without through connections		CECC 23 400- 800:1990
CYS EN 123400:1992	Sectional Specification: Flexible printed boards without through connections		CECC 23 400:1985
CYS EN 123500- 800:1992	Capability Detail Specification: Flexible printed boards with through connections		CECC 23 500- 800 Issue 1:1990
CYS EN 123500:1992	Sectional Specification: Flexible printed boards with through connections		CECC 23 500:1985

	· `		
CYS EN 125100:1991	Sectional Specification: Magnetic oxide cores for inductor applications	that with w	CECC 25 100 Issue 1:1976
CYS EN 125200:1991	Sectional Specification: Magnetic oxide cores for linear transformers		CECC 25 200 Issue 1:1977
CYS EN 125400:1991	Sectional Specification: Adjusters used with magnetic oxide cores for use in inductors and tuned transformers	AMA La Para Maria	CECC 25 400 Issue 1:1982
CYS EN 125401:1991	Blank Detail Specification: Adjusters used with magnetic oxide (ferrite) cores for use in inductors and tuned transformers		CECC 25 401 Issue 1:1982
CYS EN 130801:2002	Blank Detail Specification: Tantalum surface mounting capacitors		CECC 30 801:1990
CYS EN 135000:1992	Generic Specification: Travelling wave amplifier tubes		CECC 35 000 Issue 1:1977 (A1)
CYS EN 135001:1992	Blank Detail Specification: C.W. power amplifier travelling wave tubes up to 500 Watts		CECC 35 001 Issue 1:1977
CYS EN 136000:1992	Generic Specification: Magnetrons		CECC 36 000 Issue 1:1977
CYS EN 136001:1992	Blank Detail Specification: Pulsed magnetrons (Excluding frequency agile magnetrons)		CECC 36 001 Issue 1:1977
CYS EN 136002:1992	Blank Detail Specification: C.W. magnetrons for RF heating or cooking applications	`	CECC 36 002 Issue 1:1978
CYS EN 138121:2001	Blank Detail Specification: Fixed inductors for electromagnetic interference suppression - Inductors for which safety tests are required (Safety tests only)		
CYS EN 141101:1992	Blank Detail Specification: Lead- screw actuated and rotary preset potentiometers		CECC 41 101 Issue 2
CYS EN 143000:1991	Generic Specification: Thermistors	4 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CECC 43 000 Issue 1:1982
CYS EN 143001:1991	Blank Detail Specification: Directly heated negative temperature coefficient thermistors (Beads in solid glass or vitreous enamel)		CECC 43 001 Issue 1:1983
CYS EN 143002:1991	Blank Detail Specification: Directly heated negative temperature coefficient thermistors (Beads in envelopes)		CECC 43 002 Issue 1:1983

	Plank Datail Consideration Discott	
CYS EN 143003:1991	Blank Detail Specification: Directly	CECC 43 003
	heated negative temperature	Issue 1:1983
	coefficient thermistors (Disk type)	10000 1.1000
CYS EN	Blank Detail Specification: Directly	CECC 43 004
143004:1991	heated negative temperature	Issue 1:1983
143004.1331	coefficient thermistors (Rod type)	1880e 1.1903
CYS EN	Sectional Specification: Film and	CECC 63 100
163100:1991	hybrid integrated circuits	Issue 1:1984
CYS EN	Blank Detail Specification: Film and	CECC 63 101
163101:1991	hybrid integrated circuits	Issue 1:1984
CYS EN	Blank Detail Specification: Quartz	CECC 68 101
168101:1992	crystal units (Capability approval)	Issue 1:1989
CYS EN	Blank Detail Specification: Quartz	CECC 68 201
168201:1992	crystal units (Qualification approval)	Issue 1:1990
100201.1992		
CYS EN	Sectional Specification: Optical	Superseded by
187200:2001	cables to be used along electrical	CYS EN
	power lines (OCEPL)	60794-4:2003
	Low-voltage switchgear and	
CYS EN	controlgear for industrial use -	
50011:1977	Terminal marking, distinctive	
00011.1011	number and distinctive letter for	
	particular contactor relays	
	Low-voltage switchgear and	•
CYS EN	controlgear for industrial use -	
50012:1977	Terminal marking and distinctive	
30012.1977	number for auxiliary contacts of	
	particular contactors	
·	Low-voltage switchgear and	
0)(0 5)	controlgear for industrial use -	
CYS EN	Terminal marking and distinctive	
50013:1977	number for particular control	
	switches	
	Electrical apparatus for potentially	Superseded by
CYS EN	explosive atmospheres -	CYS EN
50018:1977	Flameproof enclosure 'd'	60079-1:2004
	Electrical apparatus for potentially	Superseded by
CYS EN		CYS EN
50019:1977	explosive atmospheres - Increased	
	safety 'e'	60079-7:2003
CYS EN	Electrical apparatus for potentially	Superseded by
50020:1977	explosive atmospheres - Intrinsic	CYS EN
	safety 'i'	50020:2002
CYS EN 50028:1987	Electrical apparatus for potentially	Superseded by
	explosive atmospheres -	CYS EN
	Encapsulation 'm'	60079-18:2004
	Electrical apparatus for potentially	Superseded by
CYS EN	explosive atmospheres -	CYS EN
50039:1980	Intrinsically safe electrical systems	60079-25:2004
	'i'	00073-20.2004

,			
CYS EN 50041:1981	Low-voltage switchgear and controlgear for industrial use - Control switches - Position switches 42,5 x 80 - Dimensions and	14.25 (1) 14.25 (1) 14.36 (1)	ua in in inglish M
CYS EN 50042:1980	characteristics Low-voltage switchgear and controlgear for industrial use - Terminal marking - Terminals for external associated electronic circuit components and contacts		
CYS EN 50043:1986	Low-voltage switchgear and controlgear for industrial use - Size numbers and gauges for flat connections	- 1944年 - 1944年 - 1955年 - 1956年	, H
CYS EN 50047:1981	Low-voltage switchgear and controlgear for industrial use - Control switches - Position switches 30 x 55 - Dimensions and characteristics	Here is a second of the second	
CYS EN 50052:1986	Cast aluminium alloy enclosures for gas-filled high-voltage switchgear and controlgear	A MINE OF THE SERVICE	·
CYS EN 50061:1988	Safety of implantable cardiac pacemakers	m indian Tipo Tipo Tipo Tipo Tipo Tipo Tipo Tipo	Superseded by CYS EN 45502-2-1: 2003 and CYS EN 45502-2-2: 2003
CYS EN 50064:1989	Wrought aluminium and aluminium alloy enclosures for gas-filled high-voltage switchgear and controlgear		
CYS EN 50083- 8:2002	Cable networks for television signals, sound signals and interactive services Part 8: Electromagnetic compatibility for networks		
CYS EN 50152- 3-2:2001	Railway applications - Fixed installations - Particular requirements for a.c. switchgear Part 3-2: Measurement, control and protection devices for specific use in a.c. traction systems - Single-phase current transformers		
CYS EN 50152- 3-3:2001	Railway applications - Fixed installations - Particular requirements for a.c. switchgear Part 3-3: Measurement, control and protection devices for specific use		

	in a.c. traction systems - Single- phase inductive voltage		
	transformers		
CYS EN 50289- 3-11:2001	Communication cables - Specifications for test methods Part 3-11: Mechanical test methods - Cable cut-through resistance		
CYS EN 50289- 3-12:2001	Communication cables - Specifications for test methods Part 3-12: Mechanical test methods - Shot gun damage		
CYS EN 50289- 3-16:2001	Communication cables - Specifications for test methods Part 3-16: Mechanical test methods - Cable tensile performance	·	
CYS EN 50289- 3-8:2001	Communication cables - Specifications for test methods Part 3-8: Mechanical test methods - Abrasion resistance of cable sheath markings		
CYS EN 50324- 1:2002	Piezoelectric properties of ceramic materials and components Part 1: Terms and definitions		·
CYS EN 50377- 7-1:2004	Connector sets and interconnect components to be used in optical fibre communication systems - Product specifications Part 7-1: Type LC-PC duplex terminated on IEC 60793-2 category A1a and A1b multimode fibre	·	
CYS EN 60068- 2-58:1999	Environmental testing Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)		Superseded by CYSEN 60068- 2-58:2004

ΤΥΠΟΓΡΑΦΕΙΟ ΤΗΣ ΚΥΠΡΙΑΚΗΣ ΔΗΜΟΚΡΑΤΙΑΣ

Μιχαλάκη Καραολή, 1445 Λευκωσία, Τηλ.: 22405824, Φαξ: 22303175 Ιστοσελίδα: www.mof.gov.cy/gpo

Αντίτυπα της Επίσημης Εφημερίδας πωλούνται στο Τυπογραφείο της Κυπριακής Δημοκρατίας προς £1,00 το καθένα Ετήσια συνδρομή: £40,00

Τυπώθηκε στο Τυπογραφείο της Κυπριακής Δημοκρατίας, Λευκωσία.