

Ε.Ε. Παρ. ΙΙΙ(Ι)  
Αρ. 4926, 12.2.2016

Κ.Α.Π. 29/2016

Αριθμός 29

ΟΙ ΠΕΡΙ ΤΥΠΟΠΟΙΗΣΗΣ, ΔΙΑΠΙΣΤΕΥΣΗΣ ΚΑΙ ΤΕΧΝΙΚΗΣ ΠΛΗΡΟΦΟΡΗΣΗΣ ΝΟΜΟΙ ΤΟΥ 2002 ΕΩΣ 2012

Γνωστοποίηση βάσει του Άρθρου 5 του Βασικού Νόμου 156(Ι)/2002  
και του Άρθρου 6 του Τροποποιητικού Νόμου 57(Ι)/2011

Με το παρόν γνωστοποιείται ότι βάσει των Άρθρων 5 του βασικού Νόμου 156(Ι) του 2002 και 6 του τροποποιητικού Νόμου 57(Ι)/2011 που ρυθμίζουν τις δραστηριότητες της Τυποποίησης, Διαπίστευσης και Τεχνικής Πληροφόρησης, ο Κυπριακός Οργανισμός Τυποποίησης (CYS) δημοσιεύει ως Κυπριακά πρότυπα τα πιο κάτω Ευρωπαϊκά πρότυπα:

**STANDARDS FROM EUROPEAN COMMITTEE FOR ELECTROTECHNICAL STANDARDIZATION (CENELEC)**

|           |                                                                  |
|-----------|------------------------------------------------------------------|
| <b>01</b> | <b>GENERALITIES. TERMINOLOGY. STANDARDIZATION. DOCUMENTATION</b> |
|-----------|------------------------------------------------------------------|

| <b>CYS EN Document:</b> | <b>Title</b>                                                                                                                                                                                                                            | <b>ICS1</b> | <b>Withdrawn</b> |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYS EN 61987-21:2016    | Industrial-process measurement and control - Data structures and elements in process equipment catalogues - Part 21: List of Properties (LOP) of automated valves for electronic data exchange - Generic structures (IEC 61987-21:2015) | 01.110      |                  |
| CYS EN 61987-22:2016    | Industrial-process measurement and control - Data structures and elements in process equipment catalogues - Part 22: Lists of Properties (LOPs) of valve body assemblies for electronic data exchange (IEC 61987-22:2015)               | 01.110      |                  |
| CYS EN 61987-24-1:2016  | Industrial-process measurement and control - Data structures and elements in process equipment catalogues - Part 24-1: Lists of Properties (LOPs) of positioners and I/P converters for electronic data exchange (IEC 61987-24-1:2015)  | 01.110      |                  |

|           |                                                                                                     |
|-----------|-----------------------------------------------------------------------------------------------------|
| <b>03</b> | <b>SERVICES. COMPANY ORGANIZATION, MANAGEMENT AND QUALITY. ADMINISTRATION. TRANSPORT. SOCIOLOGY</b> |
|-----------|-----------------------------------------------------------------------------------------------------|

| <b>CYS EN Document:</b> | <b>Title</b>                                                                                                                                                                                          | <b>ICS1</b> | <b>Withdrawn</b>                |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------|
| CYS CLC/TS 50459-3:2016 | Railway applications - Communication, signalling and processing systems - European Rail Traffic Management System - Driver-Machine Interface - Part 3: Ergonomic arrangements of non ETCS information | 03.220.30   | S/S CYS CLC/TS 50459-3:2005=W/D |

|           |                               |
|-----------|-------------------------------|
| <b>11</b> | <b>HEALTH CARE TECHNOLOGY</b> |
|-----------|-------------------------------|

| <b>CYS EN Document:</b>        | <b>Title</b>                                                                                                                                                                                                     | <b>ICS1</b> | <b>Withdrawn</b> |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYS EN 60601-2-8:2015 /A1:2016 | Medical electrical equipment - Part 2-8: Particular requirements for the basic safety and essential performance of therapeutic X-ray equipment operating in the range 10 kV to 1 MV (IEC 60601-2-8:2010/A1:2015) | 11.040.50   |                  |

|           |                                               |
|-----------|-----------------------------------------------|
| <b>13</b> | <b>ENVIRONMENT. HEALTH PROTECTION. SAFETY</b> |
|-----------|-----------------------------------------------|

| <b>CYS EN Document:</b>          | <b>Title</b>                                                                                                                                                                                                                                        | <b>ICS1</b> | <b>Withdrawn</b>                 |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------|
| CYS EN 60335-2-14:2006 /A12:2016 | Household and similar electrical appliances - Safety - Part 2-14: Particular requirements for kitchen machines                                                                                                                                      | 13.120      |                                  |
| CYS EN 60335-2-15:2016           | Household and similar electrical appliances - Safety - Part 2-15: Particular requirements for appliances for heating liquids (IEC 60335-2-15:2012 , modified)                                                                                       | 13.120      | S/S CYS EN 60335-2-15:2002 =W/D  |
| CYS EN 60335-2-35:2016           | Household and similar electrical appliances - Safety - Part 2-35: Particular requirements for instantaneous water heaters (IEC 60335-2-35:2012 , modified)                                                                                          | 13.120      | S/S CYS EN 60335-2-35:2002 =W/D  |
| CYS EN 60335-2-3:2016            | Household and similar electrical appliances - Safety - Part 2-3: Particular requirements for electric irons (IEC 60335-2-3:2012 , modified)                                                                                                         | 13.120      | S/S CYS EN 60335-2-3:2002=W/D    |
| CYS EN 60335-2-102:2016          | Household and similar electrical appliances - Safety - Part 2-102: Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections (IEC 60335-2-102:2004 , modified + A1:2008 , modified + A2:2012 , modified) | 13.120      | S/S CYS EN 60335-2-102:2006 =W/D |

|           |                                                      |
|-----------|------------------------------------------------------|
| <b>17</b> | <b>METROLOGY AND MEASUREMENT. PHYSICAL PHENOMENA</b> |
|-----------|------------------------------------------------------|

| <b>CYS EN Document:</b> | <b>Title</b>                                                                                                                              | <b>ICS1</b> | <b>Withdrawn</b>           |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------|
| CYS EN 60599:2016       | Mineral oil-filled electrical equipment in service - Guidance on the interpretation of dissolved and free gases analysis (IEC 60599:2015) | 17.220.99   | S/S CYS EN 60599:1999 =W/D |

|           |                |
|-----------|----------------|
| <b>19</b> | <b>TESTING</b> |
|-----------|----------------|

| <b>CYS EN Document:</b> | <b>Title</b>                                                                                                                                                      | <b>ICS1</b> | <b>Withdrawn</b>                |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------|
| CYS EN 60068-2-39:2016  | Environmental testing - Part 2-39: Tests - Tests and guidance: Combined temperature or temperature and humidity with low air pressure tests (IEC 60068-2-39:2015) | 19.040      | S/S CYS EN 60068-2-39:1999 =W/D |

|           |                                  |
|-----------|----------------------------------|
| <b>25</b> | <b>MANUFACTURING ENGINEERING</b> |
|-----------|----------------------------------|

| <b>CYS EN Document:</b> | <b>Title</b>                                                                                                                                                                                                  | <b>ICS1</b> | <b>Withdrawn</b>            |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------|
| CYS EN 60974-6:2016     | Arc welding equipment - Part 6: Limited duty equipment (IEC 60974-6:2015)                                                                                                                                     | 25.160.30   | S/S CYS EN 60974-6:2011=W/D |
| CYS EN 61987-23:2016    | Industrial-process measurement and control - Data structures and elements in process equipment catalogues - Part 23: Lists of Properties (LOPs) of actuators for electronic data exchange (IEC 61987-23:2015) | 25.040.40   |                             |

|                        |                                                                                                                                            |           |                                                |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------|
| CYS EN<br>61804-4:2016 | Function blocks (FB) for process control and Electronic Device Description Language (EDDL) - Part 4: EDD interpretation (IEC 61804-4:2015) | 25.040.40 | S/S CYS<br>CLC/TR<br>61804-<br>4:2007-<br>=W/D |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------|

|           |                                             |
|-----------|---------------------------------------------|
| <b>27</b> | <b>ENERGY AND HEAT TRANSFER ENGINEERING</b> |
|-----------|---------------------------------------------|

| <b>CYS EN Document:</b> | <b>Title</b>                                      | <b>ICS1</b> | <b>Withdrawn</b> |
|-------------------------|---------------------------------------------------|-------------|------------------|
| CYS EN<br>50583-1:2016  | Photovoltaics in buildings - Part 1: BIPV modules | 27.160      |                  |
| CYS EN<br>50583-2:2016  | Photovoltaics in buildings - Part 2: BIPV systems | 27.160      |                  |

|           |                               |
|-----------|-------------------------------|
| <b>29</b> | <b>ELECTRICAL ENGINEERING</b> |
|-----------|-------------------------------|

| <b>CYS EN Document:</b>             | <b>Title</b>                                                                                                                                                                                            | <b>ICS1</b> | <b>Withdrawn</b>                        |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------|
| CYS EN<br>50122-1:2011<br>/A2:2016  | Railway applications - Fixed installations - Electrical safety, earthing and the return circuit - Part 1: Protective provisions against electric shock                                                  | 29.280      |                                         |
| CYS EN<br>50526-3:2016              | Railway application - Fixed installations - D.C. surge arresters and voltage limiting devices - Part 3: Application Guide                                                                               | 29.120.50   |                                         |
| CYS EN<br>62231-1:2016              | Composite station post insulators for substations with AC voltages greater than 1 000 V up to 245 kV - Part 1: Dimensional, mechanical and electrical characteristics (IEC 62231-1:2015)                | 29.080.10   |                                         |
| CYS EN<br>60061-1:1993<br>/A52:2016 | Lamp caps and holders together with gauges for the control of interchangeability and safety - Part 1: Lamp caps (IEC 60061-1:1969/A52:2015 , modified)                                                  | 29.140.10   |                                         |
| CYS EN<br>62722-1:2016              | Luminaire performance - Part 1: General requirements (IEC 62722-1:2014 , modified)                                                                                                                      | 29.140.40   |                                         |
| CYS EN<br>62838:2016                | LEDsi lamps for general lighting services with supply voltages not exceeding 50 V a.c. r.m.s. or 120 V ripple free d.c. - Safety specifications (IEC 62838:2015)                                        | 29.140      |                                         |
| CYS EN<br>60317-39:2016             | Specifications for particular types of winding wires - Part 39: Glass-fibre braided resin or varnish-impregnated, bare or enamelled rectangular copper wire, temperature index 180 (IEC 60317-39:2015)  | 29.060.10   | S/S CYS<br>EN 60317-<br>39:1994<br>=W/D |
| CYS EN<br>60127-7:2016              | Miniature fuses - Part 7: Miniature fuse-links for special applications (IEC 60127-7:2015)                                                                                                              | 29.120.50   | S/S CYS<br>EN 60127-<br>7:2013=W/D      |
| CYS EN<br>60317-0-<br>4:2016        | Specifications for particular types of winding wires - Part 0-4: General requirements - Glass-fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire (IEC 60317-0-4:2015) | 29.060.10   | S/S CYS<br>EN 60317-0-<br>4:1998=W/D    |
| CYS EN<br>60317-31:2016             | Specifications for particular types of winding wires - Part 31: Glass fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire, temperature index 180 (IEC 60317-31:2015)   | 29.060.10   | S/S CYS<br>EN 60317-<br>31:1996<br>=W/D |
| CYS EN<br>60317-32:2016             | Specifications for particular types of winding wires - Part 32: Glass fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire, temperature index 155 (IEC 60317-32:2015)   | 29.060.10   | S/S CYS EN<br>60317-<br>32:1996<br>=W/D |

|                          |                                                                                                                                                                                                       |           |                                     |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------|
| CYS EN<br>60317-33:2016  | Specifications for particular types of winding wires - Part 33: Glass fibre wound, resin or varnish impregnated, bare or enamelled rectangular copper wire, temperature index 200 (IEC 60317-33:2015) | 29.060.10 | S/S CYS EN<br>60317-33:1996<br>=W/D |
| CYS EN<br>50341-2-4:2016 | Overhead electrical lines exceeding AC 1 kV - Part 2-4: National Normative Aspects (NNA) for Germany (based on EN 50341-1:2012)                                                                       | 29.240.20 |                                     |

|           |                                                        |
|-----------|--------------------------------------------------------|
| <b>33</b> | <b>TELECOMMUNICATIONS. AUDIO AND VIDEO ENGINEERING</b> |
|-----------|--------------------------------------------------------|

| <b>CYS EN Document:</b>              | <b>Title</b>                                                                                                                                                                                                                 | <b>ICS1</b> | <b>Withdrawn</b>                                |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------------------------------|
| CYS EN<br>62087-2:2016               | Audio, video, and related equipment - Determination of power consumption - Part 2: Signals and media (IEC 62087-2:2015)                                                                                                      | 33.160.10   | S/S CYS EN<br>62087:2012<br>(partially)<br>=W/D |
| CYS EN<br>50411-3-8:2016             | Fibre organizers and closures to be used in optical fibre communication systems - Product specifications - Part 3-8: Fibre management system, terminal equipment box type 1 for category C                                   | 33.180.20   |                                                 |
| CYS EN<br>61968-6:2015               | Application integration at electric utilities - System interfaces for distribution management - Part 6: Interfaces for maintenance and construction (IEC 61968-6:2015)                                                       | 33.200      |                                                 |
| CYS EN<br>60966-2-7:2016             | Radio frequency and coaxial cable assemblies - Part 2-7: Detail specification for cable assemblies for radio and TV receivers - Frequency range 0 MHz to 3 000 MHz, IEC 61169-47 connectors (IEC 60966-2-7:2015)             | 33.120.10   |                                                 |
| CYS EN<br>61196-10:2016              | Coaxial communication cables - Part 10: Sectional specification for semi-rigid cables with polytetrafluoroethylene (PTFE) dielectric (IEC 61196-10:2014)                                                                     | 33.120.10   | S/S CYS EN<br>61196-2:2003=W/D                  |
| CYS EN<br>50561-3:2016               | Power line communication apparatus used in low-voltage installations - Radio disturbance characteristics - Limits and methods of measurement - Part 3: Apparatus operating above 30 MHz                                      | 33.040.60   |                                                 |
| CYS EN<br>61970-456:2013<br>/A1:2016 | Energy management system application program interface (EMS-API) - Part 456: Solved power system state profiles (IEC 61970-456:2013/A1:2015)                                                                                 | 33.200      |                                                 |
| CYS EN<br>61169-53:2016              | Radio-frequency connectors - Part 53: Sectional specification for RF coaxial connectors with inner diameter of outer conductor 16 mm with screw lock - Characteristic impedance 50 $\Omega$ (Type S7-16) (IEC 61169-53:2015) | 33.120.30   |                                                 |

|           |                    |
|-----------|--------------------|
| <b>65</b> | <b>AGRICULTURE</b> |
|-----------|--------------------|

| <b>CYS EN Document:</b>                | <b>Title</b>                                                                                                            | <b>ICS1</b> | <b>Withdrawn</b> |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-------------|------------------|
| CYS EN<br>60335-2-86:2003<br>/A11:2016 | Household and similar electrical appliances - Safety - Part 2-86: Particular requirements for electric fishing machines | 65.150      |                  |

|           |                                                                 |
|-----------|-----------------------------------------------------------------|
| <b>97</b> | <b>DOMESTIC AND COMMERCIAL EQUIPMENT. ENTERTAINMENT. SPORTS</b> |
|-----------|-----------------------------------------------------------------|

| <b>CYS EN Document:</b>                  | <b>Title</b>                                                                                                                           | <b>ICS1</b> | <b>Withdrawn</b>              |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------------|
| CYS EN 50090-5-3:2016                    | Home and Building Electronic Systems (HBES) - Part 5-3: Media and media dependent layers - Radio Frequency for HBES Class              | 97.120      | S/S CYS EN 50090-5-3:2006=W/D |
| CYS EN 60335-2-58:2005 / <b>A12:2016</b> | Household and similar electrical appliances - Safety - Part 2-58: Particular requirements for commercial electric dishwashing machines | 97.040.40   |                               |

**CORRIGENDA / ΤΡΟΠΟΠΟΙΗΣΕΙΣ**

| <b>CYS EN Document:</b>                           | <b>Title</b>                                                                                                                                                 |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CYS EN 50617-2:2015 / <b>AC:2016</b>              | Railway Applications - Technical parameters of train detection systems for the interoperability of the trans-European railway system - Part 2: Axle counters |
| CYS EN 60335-2-14:2006 /A11:2012 / <b>AC:2016</b> | Household and similar electrical appliances - Safety - Part 2-14: Particular requirements for kitchen machines                                               |
| CYS EN 60065:2014 / <b>AC:2016</b>                | Audio, video and similar electronic apparatus - Safety requirements                                                                                          |
| CYS EN 60598-1:2015 / <b>AC:2016</b>              | Luminaires - Part 1: General requirements and tests                                                                                                          |
| CYS EN 61375-2-3:2015 / <b>AC:2016</b>            | Electronic railway equipment - Train communication network (TCN) - Part 2-3: TCN communication profile                                                       |